

SIRT1 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant SIRT1.

Catalog # AT3889a

Specification

SIRT1 Antibody (monoclonal) (M01) - Product Information

Application	IF, WB, IHC, E
Primary Accession	O96EB6
Other Accession	BC012499
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	81681

SIRT1 Antibody (monoclonal) (M01) - Additional Information

Gene ID 23411

Other Names

NAD-dependent protein deacetylase sirtuin-1, hSIRT1, 351-, Regulatory protein SIR2 homolog 1, SIR2-like protein 1, hSIR2, SirtT1 75 kDa fragment, 75SirT1, SIRT1, SIR2L1

Target/Specificity

SIRT1 (AAH12499, 456 a.a. ~ 555 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 kDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

SIRT1 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


SIRT1 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


SIRT1 Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to SIRT1 on HeLa cell. [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.63 KDa) .




SIRT1 monoclonal antibody (M01), clone 7B7 Western Blot analysis of SIRT1 expression in HeLa S3

NE ((Cat # AT3889a)



Immunoperoxidase of monoclonal antibody to SIRT1 on formalin-fixed paraffin-embedded human lateral ventricle wall. [antibody concentration 1 ug/ml]



Detection limit for recombinant GST tagged SIRT1 is approximately 0.1ng/ml as a capture antibody.

SIRT1 Antibody (monoclonal) (M01) - Background

This gene encodes a member of the sirtuin family of proteins, homologs to the yeast Sir2 protein. Members of the sirtuin family are characterized by a sirtuin core domain and grouped into four classes. The functions of human sirtuins have not yet been determined; however, yeast sirtuin proteins are known to regulate epigenetic gene silencing and suppress recombination of rDNA. Studies suggest that the human sirtuins may function as intracellular regulatory proteins with mono-ADP-ribosyltransferase activity. The protein encoded by this gene is included in class I of the sirtuin family. Alternative splicing results in multiple transcript variants.

SIRT1 Antibody (monoclonal) (M01) - References

1. Simvastatin inhibits Cyr61 expression in rheumatoid arthritis synovial fibroblasts through the regulation of SIRT1/FoxO3a signaling. Kok SH, Lin LD, Hou KL, Hong CY, Chang CC, Hsiao M, Wang JH, Lai EH, Lin SK. *Arthritis Rheum.* 2012 Dec 12. doi: 10.1002/art.37807.
2. Remodeling of ribosomal genes in somatic cells by *Xenopus* egg extract. Ostrup O, Hyttel P, Klarke DA, Collas P. *Biochem Biophys Res Commun.* 2011 Aug 6. [Epub ahead of print]
3. Identification of DBC1 as a transcriptional repressor for BRCA1. Hiraike H, Wada-Hiraike O, Nakagawa S, Koyama S, Miyamoto Y, Sone K, Tanikawa M, Tsuruga T, Nagasaka K, Matsumoto Y, Oda K, Shoji K, Fukuhara H, Saji S, Nakagawa K, Kato S, Yano T, Taketani Y. *Br J Cancer.* 2010 Mar 16;102(6):1061-7. Epub 2010 Feb 16.