

## **UBE2D3 Antibody (monoclonal) (M01)**

Mouse monoclonal antibody raised against a full length recombinant UBE2D3.

Catalog # AT4433a

### **Specification**

---

#### **UBE2D3 Antibody (monoclonal) (M01) - Product Information**

Application	<b>WB, E</b>
Primary Accession	<a href="#">P61077</a>
Other Accession	<a href="#">BC003395</a>
Reactivity	<b>Human</b>
Host	<b>mouse</b>
Clonality	<b>Monoclonal</b>
Isotype	<b>IgG1 kappa</b>
Calculated MW	<b>16687</b>

#### **UBE2D3 Antibody (monoclonal) (M01) - Additional Information**

**Gene ID** 7323

##### **Other Names**

Ubiquitin-conjugating enzyme E2 D3, Ubiquitin carrier protein D3, Ubiquitin-conjugating enzyme E2(17)KB 3, Ubiquitin-conjugating enzyme E2-17 kDa 3, Ubiquitin-protein ligase D3, UBE2D3, UBC5C, UBCH5C

##### **Target/Specificity**

UBE2D3 (AAH03395, 1 a.a. ~ 147 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

##### **Dilution**

WB~~1:500~1000

##### **Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

##### **Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

##### **Precautions**

UBE2D3 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


#### **UBE2D3 Antibody (monoclonal) (M01) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


### UBE2D3 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (41.91 KDa) .




UBE2D3 monoclonal antibody (M01), clone 4C1-1E3 Western Blot analysis of UBE2D3 expression in Jurkat ( (Cat # AT4433a )



Western Blot analysis of UBE2D3 expression in transfected 293T cell line by UBE2D3 monoclonal antibody (M01), clone 4C1-1E3.

Lane 1: UBE2D3 transfected lysate(16.7 KDa).  
 Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged UBE2D3 is approximately 1ng/ml as a capture antibody.