

**UBE2D3 Antibody (monoclonal) (M01)**

Mouse monoclonal antibody raised against a full length recombinant UBE2D3.

Catalog # AT4433a

**Specification**

---

**UBE2D3 Antibody (monoclonal) (M01) - Product Information**

Application	WB, E
Primary Accession	<a href="#">P61077</a>
Other Accession	<a href="#">BC003395</a>
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 kappa
Calculated MW	16687

**UBE2D3 Antibody (monoclonal) (M01) - Additional Information****Gene ID** 7323**Other Names**

Ubiquitin-conjugating enzyme E2 D3, Ubiquitin carrier protein D3, Ubiquitin-conjugating enzyme E2(17)KB 3, Ubiquitin-conjugating enzyme E2-17 kDa 3, Ubiquitin-protein ligase D3, UBE2D3, UBC5C, UBCH5C

**Target/Specificity**

UBE2D3 (AAH03395, 1 a.a. ~ 147 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

**Dilution**

WB~~1:500~1000

**Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

**Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions**

UBE2D3 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


**UBE2D3 Antibody (monoclonal) (M01) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


### UBE2D3 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (41.91 KDa) .




UBE2D3 monoclonal antibody (M01), clone 4C1-1E3 Western Blot analysis of UBE2D3 expression in Jurkat ( (Cat # AT4433a )



Western Blot analysis of UBE2D3 expression in transfected 293T cell line by UBE2D3 monoclonal antibody (M01), clone 4C1-1E3.

Lane 1: UBE2D3 transfected lysate(16.7 KDa).  
 Lane 2: Non-transfected lysate.



Detection limit for recombinant GST tagged UBE2D3 is approximately 1ng/ml as a capture antibody.