

YWHAZ Antibody
Purified Mouse Monoclonal Antibody (Mab)
Catalog # AW5068

Specification

YWHAZ Antibody - Product Information

| | |
|-------------------|---|
| Application | IF, WB,E |
| Primary Accession | P63104 |
| Other Accession | P63102 , P63101 , P63103 , P29361 |
| Reactivity | Human, Mouse, Rat |
| Predicted | Bovine, Sheep |
| Host | Mouse |
| Clonality | Monoclonal |
| Calculated MW | H=28;M=28;Rat=28 KDa |
| Isotype | IgG2b, κ |
| Antigen Source | HUMAN |

YWHAZ Antibody - Additional Information

Gene ID 7534

Antigen Region
1-261

Other Names
14-3-3 protein zeta/delta, Protein kinase C inhibitor protein 1, KCIP-1, YWHAZ

Dilution
IF~~0.059027777777778
WB~~1:1000

Target/Specificity
This YWHAZ antibody is generated from a mouse immunized with a recombinant protein from human YWHAZ.

Format
Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, followed by dialysis against PBS.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
YWHAZ Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

YWHAZ Antibody - Protein Information

Name YWHAZ**Function**

Adapter protein implicated in the regulation of a large spectrum of both general and specialized signaling pathways (PubMed: [14578935](http://www.uniprot.org/citations/14578935)), PubMed: [15071501](http://www.uniprot.org/citations/15071501)), PubMed: [15644438](http://www.uniprot.org/citations/15644438)), PubMed: [16376338](http://www.uniprot.org/citations/16376338)), PubMed: [16959763](http://www.uniprot.org/citations/16959763)), PubMed: [31024343](http://www.uniprot.org/citations/31024343)), PubMed: [9360956](http://www.uniprot.org/citations/9360956)). Binds to a large number of partners, usually by recognition of a phosphoserine or phosphothreonine motif (PubMed: [35662396](http://www.uniprot.org/citations/35662396)). Binding generally results in the modulation of the activity of the binding partner (PubMed: [35662396](http://www.uniprot.org/citations/35662396)). Promotes cytosolic retention and inactivation of TFEB transcription factor by binding to phosphorylated TFEB (PubMed: [35662396](http://www.uniprot.org/citations/35662396)). Induces ARHGEF7 activity on RAC1 as well as lamellipodia and membrane ruffle formation (PubMed: [16959763](http://www.uniprot.org/citations/16959763)). In neurons, regulates spine maturation through the modulation of ARHGEF7 activity (By similarity).

Cellular Location


Cytoplasm. Melanosome. Note=Located to stage I to stage IV melanosomes.

YWHAZ Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

YWHAZ Antibody - Images



Fluorescent image of U251 cells stained with YWHAZ Antibody (Cat#AW5068). AW5068 was diluted at 1:25 dilution. An Alexa Fluor 488-conjugated goat anti-mouse IgG at 1:400 dilution was used as the secondary antibody (green). Cytoplasmic actin was counterstained with Alexa Fluor® 555 conjugated with Phalloidin (red).



Western blot analysis of lysates from A431, HepG2, mouse NIH/3T3 cell line, mouse brain tissue, rat C6, PC-12 cell line (from left to right), using YWHAZ Antibody (Cat. #AW5068). AW5068 was diluted at 1:1000 at each lane. A goat anti-mouse IgG H&L (HRP) at 1:10000 dilution was used as the secondary antibody. Lysates at 20ug per lane.

YWHAZ Antibody - Background

Adapter protein implicated in the regulation of a large spectrum of both general and specialized signaling pathways. Binds to a large number of partners, usually by recognition of a phosphoserine or phosphothreonine motif. Binding generally results in the modulation of the activity of the binding partner.

YWHAZ Antibody - References

- Zupan L.A., et al. J. Biol. Chem. 267:8707-8710(1992).
- Seluja G.A., et al. Biochim. Biophys. Acta 1395:281-287(1998).
- Ota T., et al. Nat. Genet. 36:40-45(2004).

Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.
Gevaert K.,et al.Nat. Biotechnol. 21:566-569(2003).