

Phospho-SHP2(Y584) Antibody
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AW5224

Specification

Phospho-SHP2(Y584) Antibody - Product Information

| | |
|-------------------|---|
| Application | WB, DB,E |
| Primary Accession | Q06124 |
| Other Accession | P41499 , P35235 |
| Reactivity | Human |
| Host | Rabbit |
| Clonality | Polyclonal |
| Calculated MW | H=45 KDa |
| Isotype | Rabbit IgG |
| Antigen Source | HUMAN |

Phospho-SHP2(Y584) Antibody - Additional Information

Gene ID 5781

Antigen Region
574-590

Other Names
PTPN11; PTP2C; SHPTP2; Tyrosine-protein phosphatase non-receptor type 11; Protein-tyrosine phosphatase 1D; Protein-tyrosine phosphatase 2C; SH-PTP2; SH-PTP3

Dilution
WB~~1:1000
DB~~1:500

Target/Specificity
This SHP2 Antibody is generated from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding Y584 of human SHP2.

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
Phospho-SHP2(Y584) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Phospho-SHP2(Y584) Antibody - Protein Information

Name PTPN11

Synonyms PTP2C, SHPTP2

Function

Acts downstream of various receptor and cytoplasmic protein tyrosine kinases to participate in the signal transduction from the cell surface to the nucleus (PubMed:10655584, PubMed:18559669, PubMed:18829466, PubMed:26742426, PubMed:28074573). Positively regulates MAPK signal transduction pathway (PubMed:28074573). Dephosphorylates GAB1, ARHGAP35 and EGFR (PubMed:28074573). Dephosphorylates ROCK2 at 'Tyr-722' resulting in stimulation of its RhoA binding activity (PubMed:18559669). Dephosphorylates CDC73 (PubMed:26742426). Dephosphorylates SOX9 on tyrosine residues, leading to inactivate SOX9 and promote ossification (By similarity). Dephosphorylates tyrosine-phosphorylated NEDD9/CAS-L (PubMed:19275884).

Cellular Location

Cytoplasm. Nucleus

Tissue Location

Widely expressed, with highest levels in heart, brain, and skeletal muscle.


Phospho-SHP2(Y584) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Phospho-SHP2(Y584) Antibody - Images





Western blot analysis of lysates from mouse NIH/3T3 cell line, untreated or treated with PDGF, using Phospho-SHP2-pY584 (Cat. #AW5224) (upper) or Beta-actin (lower).



Dot blot analysis of anti-Phospho-SHP2-pY584 Phospho-specific Pab (Cat. #AW5224) on nitrocellulose membrane. 50ng of Phospho-peptide or Non Phospho-peptide per dot were adsorbed. Antibody working concentrations are 0.5ug per ml.

Phospho-SHP2(Y584) Antibody - Background

SHP2 is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP contains two tandem Src homology-2 domains, which function as phospho-tyrosine binding domains and mediate the interaction of this PTP with its substrates. This PTP is widely expressed in most tissues and plays a regulatory role in various cell signaling events that are important for a diversity of cell functions, such as mitogenic activation, metabolic control, transcription regulation, and cell migration.

Phospho-SHP2(Y584) Antibody - References

- Carver, K.C., et al. J. Biol. Chem. 285(11):8003-8012(2010)
- Pierpont, E.I., et al. Am. J. Med. Genet. A 152A (3), 591-600 (2010)
- Rani, D.S., et al. Mitochondrion 10(2):166-173(2010)
- Bakken, T., et al. Virology 397(2):379-388(2010)