10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

(DANRE) eng2b Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # Azb21569a

Specification

(DANRE) eng2b Antibody (N-term) - Product Information

Application	**WB,E**
Primary Accession	P31533
Reactivity	**Zebrafish**
Host	**Rabbit**
Clonality	**polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**29485**
Antigen Region	**1-35**

(DANRE) eng2b Antibody (N-term) - Additional Information

Gene ID 30238

Other Names
Homeobox protein engrailed-2b, Homeobox protein en-2b, Zf-En-1, eng2b, eng-3, eng3, zf-en-1

Target/Specificity
This DANRE eng2b antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 1-35 amino acids from the N-terminal region of DANRE eng2b.

Dilution
WB~~1:2000

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
(DANRE) eng2b Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

(DANRE) eng2b Antibody (N-term) - Protein Information

Name eng2b

Synonyms eng-3, eng3, zf-en-1

Cellular Location

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Nucleus.

(DANRE) eng2b Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

(DANRE) eng2b Antibody (N-term) - Images



All lanes : Anti-eng2b Antibody (N-term) at 1:2000 dilution Lane 1: Zebrafish muscle lysate Lane 2: Zebrafish lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 29 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

(DANRE) eng2b Antibody (N-term) - References

Ekker M.,et al.Development 116:1001-1010(1992).
Holland P.W.H.,et al.FEBS Lett. 277:250-252(1990).