

**Natriuretic Peptide Receptor A Antibody (N-term) Blocking peptide**  
Synthetic peptide  
Catalog # BP8111a

**Specification**

---

**Natriuretic Peptide Receptor A Antibody (N-term) Blocking peptide - Product Information**

Primary Accession [P16066](#)

**Natriuretic Peptide Receptor A Antibody (N-term) Blocking peptide - Additional Information**

Gene ID 4881

**Other Names**

Atrial natriuretic peptide receptor 1, Atrial natriuretic peptide receptor type A, ANP-A, ANPR-A, NPR-A, Guanylate cyclase A, GC-A, NPR1, ANPRA

**Target/Specificity**

The synthetic peptide sequence used to generate the antibody [AP8111a](/product/products/AP8111a) was selected from the N-term region of human ANPA . A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**Natriuretic Peptide Receptor A Antibody (N-term) Blocking peptide - Protein Information**

Name NPR1 ([HGNC:7943](#))

Synonyms ANPRA

**Function**

Receptor for the atrial natriuretic peptide NPPA/ANP and the brain natriuretic peptide NPPB/BNP which are potent vasoactive hormones playing a key role in cardiovascular homeostasis. Has guanylate cyclase activity upon binding of the ligand.

**Cellular Location**

Membrane; Single-pass type I membrane protein.

## **Natriuretic Peptide Receptor A Antibody (N-term) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

## **Natriuretic Peptide Receptor A Antibody (N-term) Blocking peptide - Images**

## **Natriuretic Peptide Receptor A Antibody (N-term) Blocking peptide - Background**

ANPA is a receptor for atrial natriuretic peptide. It exhibits guanylate cyclase activity on binding of ANF. There seem to be at least three ANP receptors: two with guanylate cyclase activity (ANPA and ANPB) and one (ANPC) which is probably responsible for the clearance of ANP from the circulation without a role in signal transduction. This Type I membrane protein belongs to the adenylyl cyclase class-4/guanylyl cyclase family and contains 1 protein kinase-like domain.

## **Natriuretic Peptide Receptor A Antibody (N-term) Blocking peptide - References**

Takahashi, Y., et al., Biochem. Biophys. Res. Commun. 246(3):736-739 (1998).Pardhasaradhi, K., et al., Cell. Mol. Neurobiol. 14(1):1-7 (1994).Lowe, D.G., et al., EMBO J. 8(5):1377-1384 (1989).

## **Natriuretic Peptide Receptor A Antibody (N-term) Blocking peptide - Citations**

- [Expression of natriuretic peptide-activated guanylate cyclases by cholinergic and dopaminergic amacrine cells of the rat retina.](#)