

**Natriuretic Peptide Receptor B Antibody (N-term) Blocking peptide**  
Synthetic peptide  
Catalog # BP8112a

### Specification

---

### Natriuretic Peptide Receptor B Antibody (N-term) Blocking peptide - Product Information

Primary Accession [P20594](#)

### Natriuretic Peptide Receptor B Antibody (N-term) Blocking peptide - Additional Information

Gene ID 4882

#### Other Names

Atrial natriuretic peptide receptor 2, Atrial natriuretic peptide receptor type B, ANP-B, ANPR-B, NPR-B, Guanylate cyclase B, GC-B, NPR2, ANPRB

#### Target/Specificity

The synthetic peptide sequence used to generate the antibody [AP8112a](/product/products/AP8112a) was selected from the N-term region of human ANPB . A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

#### Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### Natriuretic Peptide Receptor B Antibody (N-term) Blocking peptide - Protein Information

Name NPR2

Synonyms ANPRB

#### Function

Receptor for the C-type natriuretic peptide NPPC/CNP hormone. Has guanylate cyclase activity upon binding of its ligand. May play a role in the regulation of skeletal growth.

#### Cellular Location

Cell membrane; Single-pass type I membrane protein

## **Natriuretic Peptide Receptor B Antibody (N-term) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

## **Natriuretic Peptide Receptor B Antibody (N-term) Blocking peptide - Images**

## **Natriuretic Peptide Receptor B Antibody (N-term) Blocking peptide - Background**

ANPB (natriuretic peptide receptor B) is one of two integral membrane receptors for natriuretic peptides. Both ANPA and ANPB contain five functional domains: an extracellular ligand-binding domain, a single membrane-spanning region, and intracellularly a protein kinase homology domain, an helical hinge region involved in oligomerization, and a carboxyl-terminal guanylyl cyclase catalytic domain. ANPB is the primary receptor for C-type natriuretic peptide (CNP), which upon ligand binding exhibits greatly increased guanylyl cyclase activity.

## **Natriuretic Peptide Receptor B Antibody (N-term) Blocking peptide - References**

van den Akker, F., J. Mol. Biol. 311(5):923-937 (2001).Hirsch, J.R., et al., J. Am. Soc. Nephrol. 10(3):472-480 (1999).Rehemudula, D., et al., Circ. Res. 84(5):605-610 (1999).Potter, L.R., et al., J. Biol. Chem. 273(25):15533-15539 (1998).Duda, T., et al., Biochemistry 32(6):1391-1395 (1993).

## **Natriuretic Peptide Receptor B Antibody (N-term) Blocking peptide - Citations**

- [Expression of natriuretic peptide-activated guanylate cyclases by cholinergic and dopaminergic amacrine cells of the rat retina.](#)