

RANTES/CCL5, Human
Catalog # PVGS1264**Specification**

RANTES/CCL5, Human - Product InformationPrimary Accession [P13501](#)**Sequence**Ser²⁴-Ser⁹¹**Purity**

> 95% as analyzed by SDS-PAGE and HPLC.

Endotoxin Level

< 0.2 EU/ µg, determined by LAL method.

RANTES/CCL5, Human - Additional Information**Gene ID** 6352**Other Names**

C-C motif chemokine 5, EoCP, Eosinophil chemotactic cytokine, SIS-delta, Small-inducible cytokine A5, T cell-specific protein P228, TCP228, T-cell-specific protein RANTES, RANTES(3-68), RANTES(4-68), CCL5, D17S136E, SCYA5

Target Background

RANTES/CCL5, Human

RANTES/CCL5, Human - Protein Information**Name** CCL5**Synonyms** D17S136E, SCYA5**Function**

Chemoattractant for blood monocytes, memory T-helper cells and eosinophils. Causes the release of histamine from basophils and activates eosinophils. May activate several chemokine receptors including CCR1, CCR3, CCR4 and CCR5. One of the major HIV-suppressive factors produced by CD8+ T-cells. Recombinant RANTES protein induces a dose-dependent inhibition of different strains of HIV-1, HIV-2, and simian immunodeficiency virus (SIV). The processed form RANTES(3-68) acts as a natural chemotaxis inhibitor and is a more potent inhibitor of HIV-1-infection. The second processed form RANTES(4-68) exhibits reduced chemotactic and HIV-suppressive activity compared with RANTES(1-68) and RANTES(3-68) (PubMed:1380064, PubMed:15923218, PubMed:16791620, PubMed:8525373, PubMed:9516414). May also be an

agonist of the G protein-coupled receptor GPR75, stimulating inositol trisphosphate production and calcium mobilization through its activation. Together with GPR75, may play a role in neuron survival through activation of a downstream signaling pathway involving the PI3, Akt and MAP kinases. By activating GPR75 may also play a role in insulin secretion by islet cells (PubMed:23979485).

Cellular Location

Secreted.

Tissue Location

Expressed in the follicular fluid (at protein level). T-cell and macrophage specific.

RANTES/CCL5, Human - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RANTES/CCL5, Human - Images