

## CD8 alpha&beta Heterodimer

Catalog # PVGS1918

#### **Specification**

## CD8 alpha&beta Heterodimer - Product Information

Primary Accession
Species
Human

P01732-1(CD8 alpha)&P10966-1(CD8 beta)

#### **Sequence**

Ser22-Asp182(CD8 alpha) acidic tail and Leu22-Pro170(CD8 beta) basic tail

#### **Purity**

> 95% as determined by Bis-Tris PAGE<br/>> > 95% as determined by HPLC

#### **Endotoxin Level**

Less than 1EU per  $\mu g$  by the LAL method.

## **Biological Activity**

Measured by its binding ability in a functional ELISA. Immobilized CD8 alpha&beta Heterodimer, His & Flag, Human at 2  $\mu$ g/ml (100  $\mu$ l/well) on the plate can bind Anti-CD8 Antibody, hFc Tag. Test result was comparable to standard batch.

# **Expression System**

**HEK293** 

## **Theoretical Molecular Weight**

23.54 kDa (CD8 alpha) and 22.62 kDa (CD8 beta)

Formulation

Lyophilized from a 0.22  $\mu$ m filtered solution in PBS, (pH 7.4).

#### Reconstitution

Centrifuge the tube before opening. Reconstituting to a concentration more than 100  $\mu$ g/ml is recommended. Dissolve the lyophilized protein in distilled water.

## Storage & Stability

Upon receiving, the product remains stable up to 6 months at -20 °C or below. Upon reconstitution, the product should be stable for 3 months at -80 °C. Avoid repeated freeze-thaw cycles.

### CD8 alpha&beta Heterodimer - Additional Information

#### **Target Background**

CD8 alpha&beta (CD8 $\alpha$ β) is a heterodimeric form of CD8. CD8 $\alpha$  is required for surface expression of CD8 $\alpha$ 8. The extracellular IgV-like domain of CD8 $\alpha$ 8 interacts with the  $\alpha$ 8 portion of the class I MHC molecule. CD8 $\alpha$ 8 is expressed on human peripheral T cells and functions as a coreceptor and can greatly increase the sensitivity and breadth of antigen recognition by CD8+ peripheral T cells bearing TCR.



# CD8 alpha&beta Heterodimer - Protein Information

# CD8 alpha&beta Heterodimer - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CD8 alpha&beta Heterodimer - Images