

Anti-MASPIN Picoband Antibody
Catalog # ABO12047**Specification****Anti-MASPIN Picoband Antibody - Product Information**

| | |
|-------------------|------------------------|
| Application | WB, IHC, ICC |
| Primary Accession | P36952 |
| Host | Rabbit |
| Reactivity | Human, Mouse, Rat |
| Clonality | Polyclonal |
| Format | Lyophilized |

Description

Rabbit IgG polyclonal antibody for Serpin B5(SERPINB5) detection. Tested with WB, IHC-P, ICC in Human;Mouse;Rat.

Reconstitution

Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Anti-MASPIN Picoband Antibody - Additional Information

Gene ID 5268

Other Names

Serpin B5, Maspin, Peptidase inhibitor 5, PI-5, SERPINB5, PI5

Calculated MW

42100 MW KDa

Application Details

Immunocytochemistry , 0.5-1 µg/ml, Human, -
Immunohistochemistry(Paraffin-embedded Section), 0.5-1 µg/ml, Human, Mouse, Rat, By Heat
Western blot, 0.1-0.5 µg/ml, Human, Mouse, Rat

Subcellular Localization

Secreted, extracellular space.

Tissue Specificity

Normal mammary epithelial cells.

Protein Name

Serpin B5

Contents

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na₂HPO₄, 0.05mg Na₃N.

Immunogen

E.coli-derived human MASPIN recombinant protein (Position: M1-A350). Human MASPIN shares 88% and 89% amino acid (aa) sequence identity with mouse and rat MASPIN, respectively.

Purification

Immunogen affinity purified.

Cross Reactivity

No cross reactivity with other proteins.

Storage

At -20°C for one year. After r°Constitution, at 4°C for one month. It°Can also be aliquotted and stored frozen at -20°C for a longer time.Avoid repeated freezing and thawing.

Sequence Similarities

Belongs to the serpin family. Ov-serpin subfamily.

Anti-MASPIN Picoband Antibody - Protein Information

Name SERPINB5

Synonyms PI5

Function

Tumor suppressor. It blocks the growth, invasion, and metastatic properties of mammary tumors. As it does not undergo the S (stressed) to R (relaxed) conformational transition characteristic of active serpins, it exhibits no serine protease inhibitory activity.

Cellular Location

Secreted, extracellular space.


Tissue Location


Normal mammary epithelial cells.

Anti-MASPIN Picoband Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Anti-MASPIN Picoband Antibody - Images




Anti- MASPIN Picoband antibody, ABO12047, Western blotting All lanes: Anti MASPIN (ABO12047) at 0.5ug/ml Lane 1: Mouse Intestine Tissue Lysate at 50ug Lane 2: Human Placenta Tissue Lysate at 50ug Lane 3: MCF-7 Whole Cell Lysate at 40ug Lane 4: MM231 Whole Cell Lysate at 40ug Predicted bind size: 42KD Observed bind size: 42KD




Anti- MASPIN Picoband antibody, ABO12047, IHC(P) IHC(P): Mouse Intestine Tissue



Anti- MASPIN Picoband antibody, ABO12047, IHC(P) IHC(P): Rat Intestine Tissue



Anti- MASPIN Picoband antibody, ABO12047, IHC(P)IHC(P): Human Mammary Cancer Tissue



Anti- MASPIN Picoband antibody, ABO12047, ICCICC: MCF-7 Cell

Anti-MASPIN Picoband Antibody - Background

SERPINB5 is also known as PI5 or maspin. Maspin (mammary serine protease inhibitor) is a protein that in humans is encoded by the SERPINB5 gene. Maspin is expressed in the skin, prostate, testis, intestine, tongue, lung, and the thymus. Maspin is a member of the serpin superfamily of serine protease inhibitors.[1] The primary function of most members of this family is to regulate the breakdown of proteins by inhibiting the catalytic activity of proteinases. Through this mechanism of action, serpins regulate a number of cellular processes including phagocytosis, coagulation, and fibrinolysis.