

# Anti-HNF-4-alpha Rabbit Monoclonal Antibody

**Catalog # ABO14086** 

# **Specification**

# Anti-HNF-4-alpha Rabbit Monoclonal Antibody - Product Information

Application WB, IHC, IF, ICC, FC

Primary Accession

Host

Isotype

Reactivity

Clonality

Format

Rabbit IgG

Human

Monoclonal

Liquid

**Description** 

Anti-HNF-4-alpha Rabbit Monoclonal Antibody . Tested in WB, IHC, ICC/IF, Flow Cytometry applications. This antibody reacts with Human.

# Anti-HNF-4-alpha Rabbit Monoclonal Antibody - Additional Information

**Gene ID 3172** 

### **Other Names**

Hepatocyte nuclear factor 4-alpha, HNF-4-alpha, Nuclear receptor subfamily 2 group A member 1, Transcription factor 14, TCF-14, Transcription factor HNF-4, HNF4A, HNF4, NR2A1, TCF14

# Calculated MW 52785 MW KDa

## **Application Details**

WB 1:500-1:2000<br>IHC 1:50-1:200<br>ICC/IF 1:50-1:200<br>FC 1:50

#### **Subcellular Localization**

Nucleus.

#### **Contents**

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.

#### **Immunogen**

A synthesized peptide derived from human HNF-4-alpha

# Purification

Affinity-chromatography

Storage Store at -20°C for one year. For short term

storage and frequent use, store at 4°C for

up to one month. Avoid repeated

freeze-thaw cycles.

## Anti-HNF-4-alpha Rabbit Monoclonal Antibody - Protein Information



## Name HNF4A

Synonyms HNF4, NR2A1, TCF14

#### **Function**

Transcriptional regulator which controls the expression of hepatic genes during the transition of endodermal cells to hepatic progenitor cells, facilitating the recruitment of RNA pol II to the promoters of target genes (PubMed:<a href="http://www.uniprot.org/citations/30597922" target="\_blank">30597922</a>). Activates the transcription of CYP2C38 (By similarity). Represses the CLOCK-BMAL1 transcriptional activity and is essential for circadian rhythm maintenance and period regulation in the liver and colon cells (PubMed:<a href="http://www.uniprot.org/citations/30530698" target=" blank">30530698</a>).

## **Cellular Location**


Nucleus.

## Anti-HNF-4-alpha Rabbit Monoclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# Anti-HNF-4-alpha Rabbit Monoclonal Antibody - Images



Western blot analysis of HNF-4-alpha expression in A549 cell lysate.





Immunohistochemical analysis of paraffin-embedded human kidney, using HNF-4-alpha Antibody.