

Myo D1
Rabbit Monoclonal antibody(Mab)
Catalog # AD80240

Specification

Myo D1 - Product info

Application	IHC-P, IHC
Primary Accession	P15172
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal
Calculated MW	34501

Myo D1 - Additional info

Gene ID	4654
Gene Name	MYOD1

Other Names

Myoblast determination protein 1, Class C basic helix-loop-helix protein 1, bHLHc1, Myogenic factor 3, Myf-3, MYOD1, BHLHC1, MYF3, MYOD

Dilution

IHC-P~~Ready-to-use
IHC~~Ready-to-use

Storage	This product is stored at 2-223 °C, please use it within the expiration date.
Precautions	MyoD1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Myo D1 - Protein Information

Name MYOD1

Synonyms
Function

BHLHC1, MYF3, MYOD

Acts as a transcriptional activator that promotes transcription of muscle-specific target genes and plays a role in muscle differentiation. Together with MYF5 and MYOG, co-occupies muscle-specific gene promoter core region during myogenesis. Induces fibroblasts to differentiate into myoblasts. Interacts with and is inhibited by the twist protein. This interaction probably involves the basic domains of both proteins (By similarity).

Cellular Location


Nucleus.

Myo D1 - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Myo D1 - Images



Ewings sarcoma



Immunohistochemical analysis of paraffin-embedded Ewing's sarcoma tissue using AD80240 performed on the Abcarta® FAIP-30 Fully automated IHC platform. Tissue was fixed with formaldehyde at room temperature, antigen retrieval was by heat mediation with a EDTA buffer (pH9.0). Samples were incubated with primary antibody (Ready-to-use) for 15 min at room temperature. AmpSee™ Detection Systems [Abcepta:AR005] was used as the secondary antibody.