

CREB3L4 Antibody (M01)
Purified Mouse Monoclonal Antibody (Mab)
Catalog # AM2245b

Specification

CREB3L4 Antibody (M01) - Product Information

| | |
|-------------------|------------------------|
| Application | WB,E |
| Primary Accession | Q8TEY5 |
| Reactivity | Human, Rat |
| Host | Mouse |
| Clonality | Monoclonal |
| Isotype | IgG1 |
| Calculated MW | 43432 |
| Antigen Region | 1-310 |

CREB3L4 Antibody (M01) - Additional Information

Gene ID 148327

Other Names

Cyclic AMP-responsive element-binding protein 3-like protein 4, cAMP-responsive element-binding protein 3-like protein 4, Androgen-induced basic leucine zipper protein, AlbZIP, Attaching to CRE-like 1, ATCE1, Cyclic AMP-responsive element-binding protein 4, CREB-4, cAMP-responsive element-binding protein 4, Transcript induced in spermiogenesis protein 40, Tisp40, hJAL, Processed cyclic AMP-responsive element-binding protein 3-like protein 4, CREB3L4, AIBZIP, CREB4, JAL

Target/Specificity

This CREB3L4 antibody is generated from mice immunized with a recombinant between 1-300 amino acids from the region of human CREB3L4.

Dilution

WB~~1:1000

Format

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CREB3L4 Antibody (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

CREB3L4 Antibody (M01) - Protein Information

Name CREB3L4

Synonyms AIBZIP, CREB4, JAL

Function Transcriptional activator that may play a role in the unfolded protein response. Binds to the UPR element (UPRE) but not to CRE element. Preferentially binds DNA with to the consensus sequence 5'-T[GT]ACGT[GA][GT]-3' and has transcriptional activation activity from UPRE. Binds to NF-kappa-B site and has transcriptional activation activity from NF-kappa-B-containing regulatory elements (By similarity).

Cellular Location

Endoplasmic reticulum membrane; Single-pass type II membrane protein. Golgi apparatus membrane; Single- pass type II membrane protein. Note=May also be located in Golgi apparatus

Tissue Location


According to PubMed:11830526, exclusively expressed in the prostate. Expressed in breast and prostate cancer cell lines Expressed in prostatic luminal epithelial cells (at protein level) Expression is significantly more abundant in prostate cancer than in benign prostatic tissue (prostatic hyperplasia). According to PubMed:12111373, also expressed in brain, pancreas and skeletal muscle, and at lower levels in small intestine, testis, leukocyte and thymus

CREB3L4 Antibody (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CREB3L4 Antibody (M01) - Images



CREB3L4 Antibody (M01) (Cat.# AM2245b) western blot analysis in Daudi,PC-3,MCF-7,rat C6 and

L6 cell line ,rat brain tissue lysates (35µg/lane).This demonstrates the CREB3L4 (M01)antibody detected the CREB3L4 (M01)protein (arrow).

CREB3L4 Antibody (M01) - Background

Transcriptional activator that may play a role in the unfolded protein response. Binds to the UPR element (UPRE) but not to CRE element. Preferentially binds DNA with to the consensus sequence 5'-T[GT]ACGT[GA][GT]-3' and has transcriptional activation activity from UPRE. Binds to NF-kappa-B site and has transcriptional activation activity from NF-kappa-B-containing regulatory elements (By similarity).

CREB3L4 Antibody (M01) - References

Qi H.,et al.Cancer Res. 62:721-733(2002). Cao G.,et al.J. Hum. Genet. 47:373-376(2002). Fujita K.,et al. Submitted (DEC-2000) to the EMBL/GenBank/DDBJ databases.Guo J.H.,et al. Submitted (AUG-2001) to the EMBL/GenBank/DDBJ databases. Ota T.,et al.Nat. Genet. 36:40-45(2004).