

DKK1 Antibody
Purified Mouse Monoclonal Antibody
Catalog # AO1266a**Specification**

DKK1 Antibody - Product Information

Application	WB, ICC, IF
Primary Accession	O94907
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Isotype	IgG2b
Calculated MW	28.7kDa KDa

Description

DKK1: dickkopf homolog 1 (*Xenopus laevis*), also known as SK. Entrez Protein NP_036374. DKK1 is a member of the dickkopf family. It is a secreted protein with two cysteine rich regions and is involved in embryonic development through its inhibition of the WNT signaling pathway. Elevated levels of DKK1 in bone marrow plasma and peripheral blood is associated with the presence of osteolytic bone lesions in patients with multiple myeloma.

Immunogen

Purified recombinant fragment of DKK1 expressed in E. Coli.

Formulation

Ascitic fluid containing 0.03% sodium azide.

DKK1 Antibody - Additional Information

Gene ID 22943

Other Names

Dickkopf-related protein 1, Dickkopf-1, Dkk-1, hDkk-1, SK, DKK1

Dilution

WB~~1/500 - 1/2000

ICC~~1:200~~1000

IF~~1:200~1000.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

DKK1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

DKK1 Antibody - Protein Information

Name DKK1**Function**

Antagonizes canonical Wnt signaling by inhibiting LRP5/6 interaction with Wnt and by forming a ternary complex with the transmembrane protein KREMEN that promotes internalization of LRP5/6 (PubMed:22000856). DKKs play an important role in vertebrate development, where they locally inhibit Wnt regulated processes such as antero-posterior axial patterning, limb development, somitogenesis and eye formation. In the adult, Dkks are implicated in bone formation and bone disease, cancer and Alzheimer disease (PubMed:17143291). Inhibits the pro-apoptotic function of KREMEN1 in a Wnt-independent manner, and has anti-apoptotic activity (By similarity).

Cellular Location

Secreted.

Tissue Location

Placenta.

DKK1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


DKK1 Antibody - Images

Figure 1: Western blot analysis using DKK1 mouse mAb against HEK293 (1) and DKK1-hlgGfc transfected HEK293 cell lysate (2).




Figure 2: Confocal immunofluorescence analysis of methanol-fixed HEK293 cells transfected with AXL-hlgGfc using AXL mouse mAb(green), showing cytoplasmic and membrane localization. Blue: DRAQ5 fluorescent DNA dye.




Figure 2: Confocal immunofluorescence analysis of methanol-fixed HEK293 cells transfected with AXL-hlgGfc using anti-AXL monoclonal antibody(green), showing cytoplasmic and membrane localization. Blue: DRAQ5 fluorescent DNA dye.

DKK1 Antibody - References

1. Dev Cell. 2008 Jul;15(1):37-48.
2. Cancer Lett. 2008 Sep 28;269(1):67-77.