

**WNT1 Antibody**  
**Purified Mouse Monoclonal Antibody**  
**Catalog # AO1313a****Specification**

---

**WNT1 Antibody - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | <b>IF, WB, IHC, FC</b> |
| Primary Accession | <a href="#">P04628</a> |
| Reactivity        | <b>Human, Mouse</b>    |
| Host              | <b>Mouse</b>           |
| Clonality         | <b>Monoclonal</b>      |
| Isotype           | <b>IgG1</b>            |
| Calculated MW     | <b>41kDa KDa</b>       |

**Description**

WNT1: wingless-type MMTV integration site family, member 1. The WNT gene family consists of structurally related genes which encode secreted signaling proteins. These proteins have been implicated in oncogenesis and in several developmental processes, including regulation of cell fate and patterning during embryogenesis. This gene is a member of the WNT gene family. It is very conserved in evolution, and the protein encoded by this gene is known to be 98% identical to the mouse Wnt1 protein at the amino acid level. The studies in mouse indicate that the Wnt1 protein functions in the induction of the mesencephalon and cerebellum. This gene was originally considered as a candidate gene for Joubert syndrome, an autosomal recessive disorder with cerebellar hypoplasia as a leading feature. However, further studies suggested that the gene mutations might not have a significant role in Joubert syndrome. This gene is clustered with another family member, WNT10B, in the chromosome 12q13 region.

**Immunogen**

Purified recombinant fragment of WNT1 expressed in E. Coli.

**Formulation**

Ascitic fluid containing 0.03% sodium azide.

**WNT1 Antibody - Additional Information**

**Gene ID** 7471

**Other Names**

Proto-oncogene Wnt-1, Proto-oncogene Int-1 homolog, WNT1, INT1

**Dilution**

IF~~1/200 - 1/1000  
WB~~1/500 - 1/2000  
IHC~~1/500 - 1/2000  
FC~~1/200 - 1/400

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

## Precautions

WNT1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

## WNT1 Antibody - Protein Information

**Name** WNT1

**Synonyms** INT1

### Function

Ligand for members of the frizzled family of seven transmembrane receptors (Probable). Acts in the canonical Wnt signaling pathway by promoting beta-catenin-dependent transcriptional activation (PubMed: [23499309](http://www.uniprot.org/citations/23499309)), PubMed: [23656646](http://www.uniprot.org/citations/23656646), PubMed: [26902720](http://www.uniprot.org/citations/26902720), PubMed: [28528193](http://www.uniprot.org/citations/28528193)). In some developmental processes, is also a ligand for the coreceptor RYK, thus triggering Wnt signaling (By similarity). Plays an essential role in the development of the embryonic brain and central nervous system (CNS) (By similarity). Has a role in osteoblast function, bone development and bone homeostasis (PubMed: [23499309](http://www.uniprot.org/citations/23499309), PubMed: [23656646](http://www.uniprot.org/citations/23656646)).

### Cellular Location

Secreted, extracellular space, extracellular matrix. Secreted

## WNT1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## WNT1 Antibody - Images




Figure3: Confocal immunofluorescence analysis of HeLa (left) and 3T3-L1 (right) cells using WNT1 mouse mAb (green). Red: Actin filaments have been labeled with DY-554 phalloidin. Blue: DRAQ5

fluorescent DNA dye.




Figure 1: Western blot analysis using WNT1 mouse mAb against NIH/3T3 (1), 3T3L1 (2) and HeLa (3) cell lysate.




Figure 2: Immunohistochemical analysis of paraffin-embedded human LArenal tissues using WNT1 mouse mAb




Figure 4: Flow cytometric analysis of HeLa cells using WNT1 mouse mAb (green) and negative control (purple).

#### WNT1 Antibody - References

1. Blood. 2008 Jan 1;111(1):122-31. 2. BMC Cancer. 2005 May 24;5:53.