

IHH Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP14935a

Specification

IHH Antibody (N-term) - Product Information

Application WB, IHC-P,E
Primary Accession 014623

Other Accession <u>P97812</u>, <u>NP 002172.2</u>, <u>Q80XI9</u>

Reactivity
Predicted
Host
Clonality
Isotype
Calculated MW
Antigen Region

Human
Mouse
Rabbit
Polyclonal
Rabbit IgG
Street
Street
Street
Fundamental
Street
Rabbit IgG
Street
Rabbit IgG
Street
Rabbit IgG
Street
Street
Street
Rabbit IgG
Rabbit IgG

IHH Antibody (N-term) - Additional Information

Gene ID 3549

Other Names

Indian hedgehog protein, IHH, HHG-2, Indian hedgehog protein N-product, Indian hedgehog protein C-product, IHH

Target/Specificity

This IHH antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 51-80 amino acids from the N-terminal region of human IHH.

Dilution

WB~~1:1000 IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

IHH Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

IHH Antibody (N-term) - Protein Information

Name IHH (HGNC:5956)





Tel: 858.875.1900 Fax: 858.875.1999

Function Plays a role in embryonic morphogenesis; it is involved in the regulation of endochondral skeleton formation, and the development of retinal pigment epithelium (RPE), photoreceptors and periocular tissues (By similarity).

Cellular Location

[Indian hedgehog protein N-product]: Cell membrane; Lipid-anchor {ECO:0000250|UniProtKB:Q62226}. Note=The N-product remains associated with the cell surface. {ECO:0000250|UniProtKB:Q15465}

Tissue Location


Expressed in embryonic lung, and in adult kidney and liver

IHH Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

IHH Antibody (N-term) - Images



IHH Antibody (N-term) (Cat. #AP14935a) western blot analysis in HepG2 cell line lysates (35ug/lane). This demonstrates the IHH antibody detected the IHH protein (arrow).





IHH Antibody (N-term) (AP14935a)immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of IHH Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

IHH Antibody (N-term) - Background

This gene encodes a member of the hedgehog family of secreted signaling molecules. Hedgehog proteins are essential regulators of a variety of developmental processes including growth, patterning and morphogenesis. The encoded protein specifically plays a role in bone growth an differentiation. Mutations in this gene are the cause of brachydactyly type A1 which is characterized by shortening or malformation of the phalanges. Mutations in this gene are also the cause of acrocapitofemoral dysplasia.

IHH Antibody (N-term) - References

Meulenbelt, I., et al. Ann. Rheum. Dis. (2010) In press: Kang, S.J., et al. Hum. Mol. Genet. 19(13):2725-2738(2010) Okada, Y., et al. Hum. Mol. Genet. 19(11):2303-2312(2010) Zhao, J., et al. BMC Med. Genet. 11, 96 (2010): Chuang, P.T., et al. Nature 397(6720):617-621(1999)