

Mouse Epha6 Antibody (C-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP20923c

Specification

Mouse Epha6 Antibody (C-term) - Product Information

Application	WB,E
Primary Accession	O62413
Other Accession	P54758 , O9UF33
Reactivity	Human, Mouse
Predicted	Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	116185

Mouse Epha6 Antibody (C-term) - Additional Information

Other Names

Ephrin type-A receptor 6, EPH homology kinase 2, EHK-2, Epha6, Ehk-2, Ehk2

Target/Specificity

This Mouse Epha6 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 930-961 amino acids from the C-terminal region of Mouse Epha6.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Mouse Epha6 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Mouse Epha6 Antibody (C-term) - Protein Information

Name Epha6

Synonyms Ehk-2, Ehk2

Function Receptor tyrosine kinase which binds promiscuously GPI- anchored ephrin-A family ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling into

neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling (By similarity).

Cellular Location


Membrane; Single-pass type I membrane protein.

Mouse Epha6 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Mouse Epha6 Antibody (C-term) - Images



Western blot analysis of lysates from human brain and mouse brain tissue (from left to right), using Epha6 Antibody (C-term)(Cat. #AP20923c). AP20923c was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysates at 20ug per lane.

Mouse Epha6 Antibody (C-term) - Background

Receptor tyrosine kinase which binds promiscuously GPI- anchored ephrin-A family ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling (By similarity).

Mouse Epha6 Antibody (C-term) - References

Lee A.M.,et al.DNA Cell Biol. 15:817-825(1996).
Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.
Carninci P.,et al.Science 309:1559-1563(2005).