

**FOXN4 Antibody (C-term)**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP21307b**

**Specification**

---

**FOXN4 Antibody (C-term) - Product Information**

Application	WB,E
Primary Accession	<a href="#">O96NZ1</a>
Reactivity	Human
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Calculated MW	55215

**FOXN4 Antibody (C-term) - Additional Information**

**Gene ID** 121643

**Other Names**

Forkhead box protein N4, FOXN4

**Target/Specificity**

This FOXN4 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 436-470 amino acids from the C-terminal region of human FOXN4.

**Dilution**

WB~~1:2000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

FOXN4 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**FOXN4 Antibody (C-term) - Protein Information**

**Name** FOXN4

**Function** Transcription factor essential for neural and some non-neural tissues development, such as retina and lung respectively. Binds to an 11-bp consensus sequence containing the invariant tetranucleotide 5'- ACGC-3'. During development of the central nervous system, is required to specify the amacrine and horizontal cell fates from multipotent retinal progenitors while

suppressing the alternative photoreceptor cell fates through activating DLL4-NOTCH signaling. Also acts synergistically with ASCL1/MASH1 to activate DLL4-NOTCH signaling and drive commitment of p2 progenitors to the V2b interneuron fates during spinal cord neurogenesis. In development of non-neural tissues, plays an essential role in the specification of the atrioventricular canal and is indirectly required for patterning the distal airway during lung development (By similarity).

#### Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00089}.

#### FOXN4 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### FOXN4 Antibody (C-term) - Images



All lanes : Anti-FOXN4 Antibody (C-term) at 1:2000 dilution Lane 1: Y79 whole cell lysates Lane 2: HepG2 whole cell lysates Lane 3: HeLa whole cell lysates Lane 4: human brain lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution Predicted band size : 55 kDa Blocking/Dilution buffer: 5% NFDN/TBST.

#### FOXN4 Antibody (C-term) - Background

Transcription factor essential for neural and some non- neural tissues development, such as retina and lung respectively. Binds to an 11-bp consensus sequence containing the invariant tetranucleotide 5'-ACGC-3'. During development of the central nervous system, is required to specify the amacrine and horizontal cell fates from multipotent retinal progenitors while suppressing the alternative photoreceptor cell fates through activating DLL4- NOTCH signaling. Also

acts synergistically with ASCL1/MASH1 to activate DLL4-NOTCH signaling and drive commitment of p2 progenitors to the V2b interneuron fates during spinal cord neurogenesis. In development of non-neural tissues, plays an essential role in the specification of the atrioventricular canal and is indirectly required for patterning the distal airway during lung development (By similarity).

#### **FOXN4 Antibody (C-term) - References**

- Scherer S.E., et al. Nature 440:346-351(2006).  
Danilova N., et al. Brain Res. Dev. Brain Res. 153:115-119(2004).  
Ota T., et al. Nat. Genet. 36:40-45(2004).