

SNRPD1 Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP2842b

Specification

SNRPD1 Antibody (C-term) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Antigen Region WB, IHC-P, FC,E <u>P62314</u> <u>P62315</u>, <u>Q4R5F6</u>, <u>Q3ZC10</u> Human Bovine, Monkey, Mouse Rabbit Polyclonal Rabbit IgG 69-98

SNRPD1 Antibody (C-term) - Additional Information

Gene ID 6632

Other Names Small nuclear ribonucleoprotein Sm D1, Sm-D1, Sm-D autoantigen, snRNP core protein D1, SNRPD1

Target/Specificity

This SNRPD1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 69-98 amino acids from the C-terminal region of human SNRPD1.

Dilution WB~~1:1000 IHC-P~~1:50~100 FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SNRPD1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

SNRPD1 Antibody (C-term) - Protein Information

Name SNRPD1



Function Plays a role in pre-mRNA splicing as a core component of the spliceosomal U1, U2, U4 and U5 small nuclear ribonucleoproteins (snRNPs), the building blocks of the spliceosome (PubMed:<u>11991638</u>, PubMed:<u>18984161</u>, PubMed:<u>19325628</u>, PubMed:<u>23333303</u>, PubMed:<u>25555158</u>, PubMed:<u>26912367</u>, PubMed:<u>28076346</u>, PubMed:<u>28502770</u>, PubMed:<u>28781166</u>, PubMed:<u>32494006</u>). Component of both the pre-catalytic spliceosome B complex and activated spliceosome C complexes (PubMed:<u>11991638</u>, PubMed:<u>26912367</u>, PubMed:<u>28076346</u>, PubMed:<u>28502770</u>, PubMed:<u>28781166</u>). As a component of the minor spliceosome, involved in the splicing of U12- type introns in pre-mRNAs (PubMed:<u>15146077</u>). May act as a charged protein scaffold to promote snRNP assembly or strengthen snRNP-snRNP interactions through non-specific electrostatic contacts with RNA (PubMed:<u>2333303</u>).

Cellular Location


Cytoplasm, cytosol. Nucleus. Note=SMN- mediated assembly into core snRNPs occurs in the cytosol before SMN- mediated transport to the nucleus to be included in spliceosomes

SNRPD1 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- <u>Flow Cytomety</u>
- <u>Cell Culture</u>

SNRPD1 Antibody (C-term) - Images




All lanes : Anti-SNRPD1 Antibody (C-term) at 1:1000 dilution Lane 1: HL-60 whole cell lysate Lane 2: K562 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 13 kDa Blocking/Dilution buffer: 5% NFDM/TBST.





Formalin-fixed and paraffin-embedded human tonsil tissue reacted with SNRPD1 Antibody (C-term) (Cat.#AP2842b), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



SNRPD1 Antibody (C-term) (Cat. #AP2842b) flow cytometric analysis of HL-60 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

SNRPD1 Antibody (C-term) - Background

SNRPD1 is a small nuclear ribonucleoprotein that belongs to the SNRNP core protein family. This protein may act as a charged protein scaffold to promote SNRNP assembly or strengthen SNRNP-SNRNP interactions through nonspecific electrostatic contacts with RNA.

SNRPD1 Antibody (C-term) - References

Lehner,B., Genome Res. 14 (7), 1315-1323 (2004) Will,C.L., RNA 10 (6), 929-941 (2004)