

**G6PC Antibody (Center)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP5224c**

**Specification**

---

**G6PC Antibody (Center) - Product Information**

Application	WB, IHC-P, FC,E
Primary Accession	<a href="#">P35575</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	123-149

**G6PC Antibody (Center) - Additional Information**

**Gene ID** 2538

**Other Names**

Glucose-6-phosphatase, G-6-Pase, G6Pase, Glucose-6-phosphatase alpha, G6Pase-alpha, G6PC, G6PT

**Target/Specificity**

This G6PC antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 123-149 amino acids from the Central region of human G6PC.

**Dilution**

WB~~1:1000  
IHC-P~~1:50~100  
FC~~1:10~50

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

G6PC Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

**G6PC Antibody (Center) - Protein Information**

**Name** G6PC1 ([HGNC:4056](#))

**Synonyms** G6PC, G6PT

**Function** Hydrolyzes glucose-6-phosphate to glucose in the endoplasmic reticulum. Forms with the glucose-6-phosphate transporter (SLC37A4/G6PT) the complex responsible for glucose production in the terminal step of glycogenolysis and gluconeogenesis. Hence, it is the key enzyme in homeostatic regulation of blood glucose levels.

**Cellular Location**


Endoplasmic reticulum membrane; Multi-pass membrane protein

**G6PC Antibody (Center) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


**G6PC Antibody (Center) - Images**




Anti-G6PC Antibody (Center) at 1:1000 dilution + HepG2 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 40 kDa Blocking/Dilution buffer: 5% NFDN/TBST.



Western blot analysis of G6PC Antibody (Center) (Cat. #AP5224c) in K562 cell line lysates (35ug/lane).G6PC (arrow) was detected using the purified Pab.



G6PC Antibody (Center) (Cat. #AP5224c) immunohistochemistry analysis in formalin fixed and paraffin embedded human kidney tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the G6PC Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.



G6PC Antibody (Center) (Cat. #AP5224c) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

**G6PC Antibody (Center) - Background**

Glucose-6-phosphatase is an integral membrane protein of the endoplasmic reticulum that catalyzes the hydrolysis of D-glucose 6-phosphate to D-glucose and orthophosphate. It is a key enzyme in glucose homeostasis, functioning in gluconeogenesis and glycogenolysis. Defects in the enzyme cause glycogen storage disease type I.

#### **G6PC Antibody (Center) - References**

Tu, E., et al. Hum. Pathol. 41(3):392-400(2010)

Samuel, V.T., et al. Proc. Natl. Acad. Sci. U.S.A. 106(29):12121-12126(2009)

Hu, C., et al. Diabetologia 52(3):451-456(2009)

#### **G6PC Antibody (Center) - Citations**

- [LONP1 ameliorates liver injury and improves gluconeogenesis dysfunction in acute-on-chronic liver failure](#)
- [Propionate suppresses hepatic gluconeogenesis via GPR43/AMPK signaling pathway.](#)
- [Effects of polysaccharide from the fruiting bodies of Auricularia auricular on glucose metabolism in Co-γ-irradiated mice.](#)