

**Anti-EPN2 Antibody**  
**Rabbit polyclonal antibody to EPN2**  
**Catalog # AP60457****Specification**

---

**Anti-EPN2 Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">O95208</a>
Other Accession	<a href="#">Q8CHU3</a>
Reactivity	Human, Mouse, Rat, Zebrafish, Monkey, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	68482

**Anti-EPN2 Antibody - Additional Information****Gene ID** 22905**Other Names**

KIAA1065; Epsin-2; EPS-15-interacting protein 2

**Target/Specificity**

Recognizes endogenous levels of EPN2 protein.

**Dilution**

WB~~WB (1/500 - 1/1000), IH (1/100 - 1/200)

**Format**

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

**Storage**

Store at -20 °C. Stable for 12 months from date of receipt

**Anti-EPN2 Antibody - Protein Information****Name** EPN2**Synonyms** KIAA1065**Function**

Plays a role in the formation of clathrin-coated invaginations and endocytosis.

**Cellular Location**

Cytoplasm. Cytoplasmic vesicle, clathrin-coated vesicle. Note=In punctate structures throughout the cell, associated with clathrin-coated vesicles, and particularly concentrated in the region of the Golgi complex


**Tissue Location**

Highest expression is found in brain. Detected at lower levels in lung and liver.


**Anti-EPN2 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Anti-EPN2 Antibody - Images**

Western blot analysis of EPN2 expression in rat liver (A) whole cell lysates.



Immunohistochemical analysis of EPN2 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

**Anti-EPN2 Antibody - Background**

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human EPN2. The exact sequence is proprietary.