

**MMP19 Antibody (C-term)**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP6202a****Specification**

---

**MMP19 Antibody (C-term) - Product Information**

Application	WB, IHC-P, FC,E
Primary Accession	<a href="#">O99542</a>
Other Accession	<a href="#">NP_002420</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	57357
Antigen Region	344-373

**MMP19 Antibody (C-term) - Additional Information****Gene ID** 4327**Other Names**

Matrix metalloproteinase-19, MMP-19, 3424-, Matrix metalloproteinase RASI, Matrix metalloproteinase-18, MMP-18, MMP19, MMP18, RASI

**Target/Specificity**

This MMP19 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 344-373 amino acids from the C-terminal region of human MMP19.

**Dilution**WB~~1:1000  
IHC-P~~1:50~100  
FC~~1:10~50**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

MMP19 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**MMP19 Antibody (C-term) - Protein Information****Name** MMP19

### Synonyms MMP18, RASI

**Function** Endopeptidase that degrades various components of the extracellular matrix, such as aggrecan and cartilage oligomeric matrix protein (comp), during development, haemostasis and pathological conditions (arthritic disease). May also play a role in neovascularization or angiogenesis. Hydrolyzes collagen type IV, laminin, nidogen, nascin-C isoform, fibronectin, and type I gelatin.

### Cellular Location

Secreted, extracellular space, extracellular matrix

### Tissue Location


Expressed in mammary gland, placenta, lung, pancreas, ovary, small intestine, spleen, thymus, prostate, testis colon, heart and blood vessel walls. Not detected in brain and peripheral blood leukocytes. Also expressed in the synovial fluid of normal and rheumatoid patients (PubMed:8920941)

## MMP19 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


## MMP19 Antibody (C-term) - Images



Western blot analysis of hMMP19-R359 (Cat. #AP6202a) in K562 cell line lysates (35ug/lane). MMP19 (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded human breast carcinoma with MMP19 Antibody (C-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Flow cytometric analysis of K562 cells using MMP19 Antibody (C-term)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

### MMP19 Antibody (C-term) - Background

Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMPs are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. The function of MMP19 has not been determined. This gene was previously referred to as MMP18 but has been renamed matrix metalloproteinase 19 (MMP19).

### MMP19 Antibody (C-term) - References

- Sadowski, T., et al., Mol. Biol. Cell 14(11):4569-4580 (2003).
- Impola, U., et al., Int. J. Cancer 103(6):709-716 (2003).
- Mauch, S., et al., J. Immunol. 168(3):1244-1251 (2002).
- Stracke, J.O., et al., J. Biol. Chem. 275(20):14809-14816 (2000).
- Nagase, H., et al., J. Biol. Chem. 274(31):21491-21494 (1999).

### MMP19 Antibody (C-term) - Citations

- [High expression of MMP19 is associated with poor prognosis in patients with colorectal cancer.](#)

