

CD25 Monoclonal Antibody(Q22)
Catalog # AP63361

Specification

CD25 Monoclonal Antibody(Q22) - Product Information

Application	IHC
Primary Accession	P01589
Reactivity	Human
Host	Mouse
Clonality	Monoclonal

CD25 Monoclonal Antibody(Q22) - Additional Information

Gene ID 3559

Other Names

IL2RA; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha; IL-2-RA; IL-2R subunit alpha; IL2-RA; TAC antigen; p55; CD25

Dilution

IHC~~IHC: 1:200

Format

PBS, pH 7.4, containing 0.09% (W/V) sodium azide as Preservative and 50% Glycerol.

Storage Conditions

-20°C

CD25 Monoclonal Antibody(Q22) - Protein Information

Name IL2RA

Function

Receptor for interleukin-2. The receptor is involved in the regulation of immune tolerance by controlling regulatory T cells (TREGs) activity. TREGs suppress the activation and expansion of autoreactive T-cells.

Cellular Location

Membrane; Single-pass type I membrane protein.




CD25 Monoclonal Antibody(Q22) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CD25 Monoclonal Antibody(Q22) - Images





CD25 Monoclonal Antibody(Q22) - Background

Receptor for interleukin-2. The receptor is involved in the regulation of immune tolerance by controlling regulatory T cells (TREGs) activity. TREGs suppress the activation and expansion of autoreactive T-cells.