

TOMM70A Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP6745a

Specification

TOMM70A Antibody (N-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	O94826
Other Accession	O75039 , O9CZW5
Reactivity	Human
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	177-205

TOMM70A Antibody (N-term) - Additional Information

Gene ID 9868

Other Names

Mitochondrial import receptor subunit TOM70, Mitochondrial precursor proteins import receptor, Translocase of outer membrane 70 kDa subunit, TOMM70A, KIAA0719, TOM70

Target/Specificity

This TOMM70A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 177-205 amino acids from the N-terminal region of human TOMM70A.

Dilution

WB~~1:1000
IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TOMM70A Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TOMM70A Antibody (N-term) - Protein Information

Name TOMM70 ([HGNC:11985](#))

Function Acts as a receptor of the preprotein translocase complex of the outer mitochondrial membrane (TOM complex) (PubMed:[12526792](#)). Recognizes and mediates the translocation of mitochondrial preproteins from the cytosol into the mitochondria in a chaperone dependent manner (PubMed:[12526792](#), PubMed:[35025629](#)). Mediates TBK1 and IRF3 activation induced by MAVS in response to Sendai virus infection and promotes host antiviral responses during virus infection (PubMed:[20628368](#), PubMed:[25609812](#), PubMed:[32728199](#)). Upon Sendai virus infection, recruits HSP90AA1:IRF3:BAX in mitochondrion and the complex induces apoptosis (PubMed:[25609812](#)).

Cellular Location


Mitochondrion outer membrane; Single-pass membrane protein

TOMM70A Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TOMM70A Antibody (N-term) - Images



Western blot analysis of TOMM70A Antibody (N-term) (Cat.#AP6745a) in WiDr cell line lysates (35ug/lane). TOMM70A (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded human brain tissue reacted with TOMM70A Antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

TOMM70A Antibody (N-term) - Background

The translocase of outer mitochondrial membrane (TOM) complex is a multisubunit complex involved in the recognition, unfolding, and translocation of preproteins into the mitochondria.

TOMM70A Antibody (N-term) - References

Blesa, J.R., et al., *Gene* 427 (1-2), 58-64 (2008)
Chou, C.H., et al., *Mol. Biol. Cell* 17 (9), 3952-3963 (2006)
Edmonson, A.M., et al., *Cell Commun. Adhes.* 9 (1), 15-27 (2002)

TOMM70A Antibody (N-term) - Citations

- [Proteomic analysis of mitochondria in respiratory epithelial cells infected with human respiratory syncytial virus and functional implications for virus and cell biology.](#)