

**GCP6 Polyclonal Antibody**  
Catalog # AP70065**Specification**

---

**GCP6 Polyclonal Antibody - Product Information**

Application	<b>WB</b>
Primary Accession	<a href="#">Q96RT7</a>
Reactivity	<b>Human</b>
Host	<b>Rabbit</b>
Clonality	<b>Polyclonal</b>

**GCP6 Polyclonal Antibody - Additional Information****Gene ID** 85378**Other Names**

TUBGCP6; GCP6; KIAA1669; Gamma-tubulin complex component 6; GCP-6

**Dilution**

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.

**Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

**Storage Conditions**

-20°C

**GCP6 Polyclonal Antibody - Protein Information****Name** TUBGCP6**Synonyms** GCP6, KIAA1669**Function**

Gamma-tubulin complex is necessary for microtubule nucleation at the centrosome.

**Cellular Location**

Cytoplasm, cytoskeleton, microtubule organizing center, centrosome




**GCP6 Polyclonal Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### GCP6 Polyclonal Antibody - Images





### **GCP6 Polyclonal Antibody - Background**

Gamma-tubulin complex is necessary for microtubule nucleation at the centrosome.