

IκB-ε Polyclonal Antibody
Catalog # AP70605**Specification**

IκB-ε Polyclonal Antibody - Product Information

Application	WB
Primary Accession	O00221
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

IκB-ε Polyclonal Antibody - Additional Information**Gene ID** 4794**Other Names**

NFKBIE; IKBE; NF-kappa-B inhibitor epsilon; NF-kappa-BIE; I-kappa-B-epsilon; IκB-E; IκB-epsilon; IκappaBepsilon

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

IκB-ε Polyclonal Antibody - Protein Information**Name** NFKBIE**Synonyms** IKBE**Function**

Inhibits NF-kappa-B by complexing with and trapping it in the cytoplasm. Inhibits DNA-binding of NF-kappa-B p50-p65 and p50-c-Rel complexes.

Cellular Location

Cytoplasm.

Tissue Location


Highly expressed in spleen, testis and lung, followed by kidney, pancreas, heart, placenta and brain. Also expressed in granulocytes and macrophages

I κ B- ϵ Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

I κ B- ϵ Polyclonal Antibody - Images



I κ B- ϵ Polyclonal Antibody - Background

Inhibits NF-kappa-B by complexing with and trapping it in the cytoplasm. Inhibits DNA-binding of NF-kappa-B p50-p65 and p50-c-Rel complexes.