

AChR α 9 Polyclonal Antibody
Catalog # AP73921**Specification****AChR α 9 Polyclonal Antibody - Product Information**

Application	WB
Primary Accession	Q9UGM1
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

AChR α 9 Polyclonal Antibody - Additional Information**Gene ID** 55584**Other Names**

Neuronal acetylcholine receptor subunit alpha-9 (Nicotinic acetylcholine receptor subunit alpha-9) (NACHR alpha-9)

Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

AChR α 9 Polyclonal Antibody - Protein Information**Name** CHRNA9**Synonyms** NACHRA9**Function**

Ionotropic receptor with a probable role in the modulation of auditory stimuli. Agonist binding induces a conformation change that leads to the opening of an ion-conducting channel across the plasma membrane (PubMed: [11752216](http://www.uniprot.org/citations/11752216), PubMed: [25282151](http://www.uniprot.org/citations/25282151)). The channel is permeable to a range of divalent cations including calcium, the influx of which may activate a potassium current which hyperpolarizes the cell membrane (PubMed: [11752216](http://www.uniprot.org/citations/11752216), PubMed: [25282151](http://www.uniprot.org/citations/25282151)). In the ear, this may lead to a reduction in basilar membrane motion, altering the activity of auditory nerve fibers and reducing the range of dynamic hearing. This may protect against acoustic trauma. May also regulate keratinocyte adhesion (PubMed: [11021840](http://www.uniprot.org/citations/11021840)).

Cellular Location

Postsynaptic cell membrane; Multi-pass membrane protein. Cell membrane; Multi-pass membrane protein

Tissue Location

Expressed in cochlea, keratinocytes, pituitary gland, B-cells and T-cells.

AChR α 9 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

AChR α 9 Polyclonal Antibody - Images

Image not found : 202004/e20011wb42170.jpg

AChR α 9 Polyclonal Antibody - Background

Ionotropic receptor with a probable role in the modulation of auditory stimuli. Agonist binding induces a conformation change that leads to the opening of an ion-conducting channel across the plasma membrane (PubMed:11752216, PubMed:25282151). The channel is permeable to a range of divalent cations including calcium, the influx of which may activate a potassium current which hyperpolarizes the cell membrane (PubMed:11752216, PubMed:25282151). In the ear, this may lead to a reduction in basilar membrane motion, altering the activity of auditory nerve fibers and reducing the range of dynamic hearing. This may protect against acoustic trauma. May also regulate keratinocyte adhesion (PubMed:11021840).