

#### **ZEB1 Rabbit mAb**

**Catalog # AP77162** 

# **Specification**

#### **ZEB1** Rabbit mAb - Product Information

Application
Primary Accession
Reactivity
Host
Clonality
Calculated MW

WB
P37275
Human
Rabbit
Monoclonal Antibody

124074

### **ZEB1** Rabbit mAb - Additional Information

**Gene ID** 6935

Other Names ZEB1

**Dilution** WB~~1/500-1/1000

Format Liquid

## **ZEB1 Rabbit mAb - Protein Information**

Name ZEB1 (<u>HGNC:11642</u>)

# **Function**

Acts as a transcriptional repressor. Inhibits interleukin-2 (IL-2) gene expression. Enhances or represses the promoter activity of the ATP1A1 gene depending on the quantity of cDNA and on the cell type. Represses E-cadherin promoter and induces an epithelial-mesenchymal transition (EMT) by recruiting SMARCA4/BRG1. Represses BCL6 transcription in the presence of the corepressor CTBP1. Positively regulates neuronal differentiation. Represses RCOR1 transcription activation during neurogenesis. Represses transcription by binding to the E box (5'-CANNTG-3'). In the absence of TGFB1, acts as a repressor of COL1A2 transcription via binding to the E-box in the upstream enhancer region (By similarity).

# **Cellular Location**Nucleus

## **Tissue Location**

Colocalizes with SMARCA4/BRG1 in E-cadherin- negative cells from established lines, and stroma of normal colon as well as in de-differentiated epithelial cells at the invasion front of colorectal carcinomas (at protein level). Expressed in heart and skeletal muscle, but not in liver, spleen, or pancreas



# **ZEB1** Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# **ZEB1** Rabbit mAb - Images

