

**Histone H3 (mono+di+tri methyl K79) Antibody**  
Rabbit mAb  
Catalog # AP90486**Specification****Histone H3 (mono+di+tri methyl K79) Antibody - Product Information**

Application	WB, IHC
Primary Accession	<a href="#">P68431</a>
Reactivity	Rat
Clonality	Monoclonal
<b>Other Names</b>	
H3 histone; HIST1H3A; Histone cluster 1, H3a;H3/l; HIST3H3; H3K79me1; H3K79me2; H3K79me3;	
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	15404 Da

**Histone H3 (mono+di+tri methyl K79) Antibody - Additional Information**

Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human Histone H3 (mono+di+tri methyl K79)
Description	H3 Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling. The nucleosome is a histone octamer containing two molecules each of H2A, H2B, H3 and H4 assembled in one H3-H4 heterotetramer and two H2A-H2B heterodimers.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

**Histone H3 (mono+di+tri methyl K79) Antibody - Protein Information**Name H3C1 ([HGNC:4766](#))

Synonyms H3FA, HIST1H3A

### Function

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

### Cellular Location


Nucleus. Chromosome.

### Histone H3 (mono+di+tri methyl K79) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Histone H3 (mono+di+tri methyl K79) Antibody - Images



Western blot analysis of Histone H3 (mono+di+tri methyl K79) expression in (1) NIH/3T3 cell lysate; (2) A549 cell lysate.