

**S100A4 Antibody**  
Rabbit mAb  
Catalog # AP90800

## Specification

---

### S100A4 Antibody - Product Information

|                   |                        |
|-------------------|------------------------|
| Application       | WB, IHC, FC, ICC, IP   |
| Primary Accession | <a href="#">P26447</a> |
| Reactivity        | Rat                    |
| Clonality         | Monoclonal             |

#### Other Names

18A2; 42A; calcium Placental protein; Calcium protein; Calvasculin; CAPL; Fibroblast specific protein 1; FSP1; Metastasin; MTS1; S100 calcium binding protein A4;

|               |            |
|---------------|------------|
| Isotype       | Rabbit IgG |
| Host          | Rabbit     |
| Calculated MW | 11729 Da   |

### S100A4 Antibody - Additional Information

|              |   |
|--------------|---|
| Purification | Affinity-chromatography                         |
| Immunogen    | A synthesized peptide derived from human S100A4 |

|             |  |
|-------------|--|
| Description | The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-hand calcium-binding motifs. This protein may function in motility, invasion, and tubulin polymerization. Chromosomal rearrangements and altered expression of this gene have been implicated in tumor metastasis. |
|-------------|--|

|                              |   |
|------------------------------|---|
| Storage Condition and Buffer | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle. |
|------------------------------|---|

### S100A4 Antibody - Protein Information

**Name** S100A4

**Synonyms** CAPL, MTS1

#### Function

Calcium-binding protein that plays a role in various cellular processes including motility, angiogenesis, cell differentiation, apoptosis, and autophagy (PubMed:<a href="http://www.uniprot.org/citations/16707441" target="\_blank">16707441</a>, PubMed:<a href="http://www.uniprot.org/citations/23752197" target="\_blank">23752197</a>, PubMed:<a href="http://www.uniprot.org/citations/23752197" target="\_blank">23752197</a>, PubMed:<a href="http://www.uniprot.org/citations/23752197" target="\_blank">23752197</a>)

[30713770](http://www.uniprot.org/citations/30713770)). Increases cell motility and invasiveness by interacting with non-muscle myosin heavy chain (NMMHC) IIA/MYH9 (PubMed: [16707441](http://www.uniprot.org/citations/16707441)). Mechanistically, promotes filament depolymerization and increases the amount of soluble myosin-IIA, resulting in the formation of stable protrusions facilitating chemotaxis (By similarity). Modulates also the pro-apoptotic function of TP53 by binding to its C-terminal transactivation domain within the nucleus and reducing its protein levels (PubMed: [23752197](http://www.uniprot.org/citations/23752197)). Within the extracellular space, stimulates cytokine production including granulocyte colony-stimulating factor and CCL24 from T-lymphocytes (By similarity). In addition, stimulates T-lymphocyte chemotaxis by acting as a chemoattractant complex with PGLYRP1 that promotes lymphocyte migration via CCR5 and CXCR3 receptors (PubMed: [26654597](http://www.uniprot.org/citations/26654597)), PubMed: [30713770](http://www.uniprot.org/citations/30713770)).

#### Cellular Location

Secreted. Nucleus Cytoplasm {ECO:0000250|UniProtKB:P07091}

#### Tissue Location


Ubiquitously expressed.

#### S100A4 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### S100A4 Antibody - Images



Western blot analysis of S100A4 expression in A375 cell lysate.