

**FGF2 Antibody**  
Rabbit mAb  
Catalog # AP91122

## Specification

---

### FGF2 Antibody - Product Information

Application	<b>WB, FC, IP</b>
Primary Accession	<a href="#">P09038</a>
Clonality	<b>Monoclonal</b>
<b>Other Names</b>	
Basic fibroblast growth factor; BFGF; FGF2; FGF2 basic; FGF2; FGFB; Fibroblast growth factor 2 (basic); HBGF2;	
Isotype	<b>Rabbit IgG</b>
Host	<b>Rabbit</b>
Calculated MW	<b>30770 Da</b>

### FGF2 Antibody - Additional Information

Purification	<b>Affinity-chromatography</b>
Immunogen	<b>A synthesized peptide derived from human FGF2</b>
Description	<b>Plays an important role in the regulation of cell survival, cell division, angiogenesis, cell differentiation and cell migration. Functions as potent mitogen in vitro. Can induce angiogenesis.</b>
Storage Condition and Buffer	<b>Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.</b>

### FGF2 Antibody - Protein Information

**Name** FGF2

**Synonyms** FGFB

#### Function

Acts as a ligand for FGFR1, FGFR2, FGFR3 and FGFR4 (PubMed:[8663044](http://www.uniprot.org/citations/8663044)). Also acts as an integrin ligand which is required for FGF2 signaling (PubMed:[28302677](http://www.uniprot.org/citations/28302677)). Binds to integrin ITGAV:ITGB3 (PubMed:[28302677](http://www.uniprot.org/citations/28302677)). Plays an important role in the regulation of cell survival, cell division, cell differentiation and cell migration (PubMed:[28302677](http://www.uniprot.org/citations/28302677), PubMed:[8663044](http://www.uniprot.org/citations/8663044)). Functions as a

potent mitogen in vitro (PubMed:<a href="http://www.uniprot.org/citations/1721615" target="\_blank">1721615</a>, PubMed:<a href="http://www.uniprot.org/citations/3732516" target="\_blank">3732516</a>, PubMed:<a href="http://www.uniprot.org/citations/3964259" target="\_blank">3964259</a>). Can induce angiogenesis (PubMed:<a href="http://www.uniprot.org/citations/23469107" target="\_blank">23469107</a>, PubMed:<a href="http://www.uniprot.org/citations/28302677" target="\_blank">28302677</a>). Mediates phosphorylation of ERK1/2 and thereby promotes retinal lens fiber differentiation (PubMed:<a href="http://www.uniprot.org/citations/29501879" target="\_blank">29501879</a>).

#### Cellular Location

Secreted. Nucleus. Note=Exported from cells by an endoplasmic reticulum (ER)/Golgi-independent mechanism. Unconventional secretion of FGF2 occurs by direct translocation across the plasma membrane (PubMed:20230531). Binding of exogenous FGF2 to FGFR facilitates endocytosis followed by translocation of FGF2 across endosomal membrane into the cytosol (PubMed:22321063). Nuclear import from the cytosol requires the classical nuclear import machinery, involving proteins KPNA1 and KPNB1, as well as CEP57 (PubMed:22321063)

#### Tissue Location


Expressed in granulosa and cumulus cells. Expressed in hepatocellular carcinoma cells, but not in non-cancerous liver tissue.

#### FGF2 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### FGF2 Antibody - Images



Western blot analysis of FGF2 expression in K562 cell lysate.