

Urokinase Antibody
Rabbit mAb
Catalog # AP91163**Specification**

Urokinase Antibody - Product Information

Application	WB, IHC
Primary Accession	P00749
Reactivity	Rat
Clonality	Monoclonal
Other Names	
Urokinase-type plasminogen activator; U-plasminogen activator; Upa; PLAU; ATF uPA;	
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	48507 Da

Urokinase Antibody - Additional Information

Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human Urokinase
Description	Specifically cleave the zymogen plasminogen to form the active enzyme plasmin.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Urokinase Antibody - Protein Information

Name PLAU ([HGNC:9052](#))

Function

Specifically cleaves the zymogen plasminogen to form the active enzyme plasmin.

Cellular Location

Secreted.

Tissue Location


Expressed in the prostate gland and prostate cancers.

Urokinase Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Urokinase Antibody - Images



Western blot analysis of Urokinase expression in LnCaP cell lysate.