

Phospho-Histone H3 (S28) Antibody

Rabbit mAb Catalog # AP93219

Specification

Phospho-Histone H3 (S28) Antibody - Product Information

Application WB, IHC, ICC

Primary Accession P68431
Reactivity Rat

Clonality Monoclonal

Other Names Histone H3;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 15404 Da

Phospho-Histone H3 (S28) Antibody - Additional Information

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

Phospho-Histone H3 (S28)

Description Variant histone H3 which replaces

conventional H3 in a wide range of nucleosomes in active genes. Constitutes

nucleosomes in active genes. Constitutes the predominant form of histone H3 in non-dividing cells and is incorporated into chromatin independently of DNA synthesis. Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

Phospho-Histone H3 (S28) Antibody - Protein Information

Name H3C1 (HGNC:4766)

Synonyms H3FA, HIST1H3A

Storage Condition and Buffer

Function

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

Cellular Location

Nucleus. Chromosome.





Phospho-Histone H3 (S28) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Phospho-Histone H3 (S28) Antibody - Images