

Anti-PTPRC / CD45 Reference Antibody (Novartis patent anti-CD45)

Recombinant Antibody Catalog # APR10026

Specification

Anti-PTPRC / CD45 Reference Antibody (Novartis patent anti-CD45) - Product Information

Application Primary Accession Reactivity Clonality Isotype Calculated MW FC, E, FTA <u>P08575</u> Human Monoclonal IgG1 150 KDa

Anti-PTPRC / CD45 Reference Antibody (Novartis patent anti-CD45) - Additional Information

Target/Specificity PTPRC / CD45

Endotoxin < 0.001EU/ μg,determined by LAL method.

Conjugation Unconjugated

Expression system CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

Anti-PTPRC / CD45 Reference Antibody (Novartis patent anti-CD45) - Protein Information

Name PTPRC (<u>HGNC:9666</u>)

Synonyms CD45

Function

Protein tyrosine-protein phosphatase required for T-cell activation through the antigen receptor (PubMed:35767951). Acts as a positive regulator of T-cell coactivation upon binding to DPP4. The first PTPase domain has enzymatic activity, while the second one seems to affect the substrate specificity of the first one. Upon T-cell activation, recruits and dephosphorylates SKAP1 and FYN. Dephosphorylates LYN, and thereby modulates LYN activity (By similarity).

Cellular Location

Cell membrane; Single-pass type I membrane protein. Membrane raft. Synapse. Note=Colocalized



with DPP4 in membrane rafts.

Tissue Location

Isoform 1: Detected in thymocytes. Isoform 2: Detected in thymocytes. Isoform 3: Detected in thymocytes. Isoform 4: Not detected in thymocytes. Isoform 5: Detected in thymocytes. Isoform 6: Not detected in thymocytes. Isoform 7: Detected in thymocytes Isoform 8: Not detected in thymocytes.

Anti-PTPRC / CD45 Reference Antibody (Novartis patent anti-CD45) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-PTPRC / CD45 Reference Antibody (Novartis patent anti-CD45) - Images


<u>kDa</u>	NR	М	R	
185		-		
115		_		
80				
65		-		
50		-		
30				
25				
15		_		
10				

Anti-PTPRC / CD45 Reference Antibody (Novartis patent anti-CD45) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-PTPRC / CD45 Reference Antibody (Novartis patent anti-CD45)is more than 95% , determined by SEC-HPLC.





Immobilized human IL-18 His at4 μ g/mL can bind Anti-PTPRC / CD45 Reference Antibody (Novartis patent anti-CD45) [EC50=0.00604 μ g/mL.