

**Anti-ERBB3 / HER3 Reference Antibody (patritumab)
Recombinant Antibody
Catalog # APR10047****Specification**

Anti-ERBB3 / HER3 Reference Antibody (patritumab) - Product Information

Application	FC, E, FTA
Primary Accession	P21860
Reactivity	Rat, Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	146.86 KDa

Anti-ERBB3 / HER3 Reference Antibody (patritumab) - Additional Information**Target/Specificity**
ERBB3 / HER3**Endotoxin**
< 0.001EU/ µg,determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Storage**
-80°C for 2 years under sterile conditions □ -20°C for 1 year under sterile conditions □ Avoid repeated freeze-thaw cycles.**Anti-ERBB3 / HER3 Reference Antibody (patritumab) - Protein Information****Name** ERBB3**Synonyms** HER3**Function**
Tyrosine-protein kinase that plays an essential role as cell surface receptor for neuregulins. Binds to neuregulin-1 (NRG1) and is activated by it; ligand-binding increases phosphorylation on tyrosine residues and promotes its association with the p85 subunit of phosphatidylinositol 3-kinase (PubMed:20682778). May also be activated by CSPG5 (PubMed:15358134). Involved in the regulation of myeloid cell differentiation

(PubMed:27416908).

Cellular Location

[Isoform 1]: Cell membrane; Single-pass type I membrane protein

Tissue Location


Epithelial tissues and brain.

Anti-ERBB3 / HER3 Reference Antibody (patritumab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Anti-ERBB3 / HER3 Reference Antibody (patritumab) - Images




Anti-ERBB3 / HER3 Reference Antibody (patritumab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-ERBB3 / HER3 Reference Antibody (patritumab) is more than 99.19%, determined by SEC-HPLC.



Immobilized human HER3 His at 2 µg/mL can bind Anti-ERBB3 / HER3 Reference Antibody (patritumab) $EC_{50}=0.04264$ µg/mL



Human HER3 HEK293 cells were stained with Anti-ERBB3 / HER3 Reference Antibody (patritumab) and negative control protein respectively, washed and then followed by PE and analyzed with FACS, $EC_{99}=0.2297$ µg/mL