

#### Anti-HGF / SF Reference Antibody (rilotumumab) Recombinant Antibody Catalog # APR10049

### Specification

## Anti-HGF / SF Reference Antibody (rilotumumab) - Product Information

Application Primary Accession Reactivity Clonality Isotype Calculated MW FC, E, FTA <u>P14210</u> Cynomolgus, Human, Mouse Monoclonal IgG2SA 145.2 KDa

### Anti-HGF / SF Reference Antibody (rilotumumab) - Additional Information

Target/Specificity HGF / SF

**Endotoxin** < 0.001EU/ μg,determined by LAL method.

Conjugation Unconjugated

Expression system CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

## Anti-HGF / SF Reference Antibody (rilotumumab) - Protein Information

Name HGF

Synonyms HPTA

Function

Potent mitogen for mature parenchymal hepatocyte cells, seems to be a hepatotrophic factor, and acts as a growth factor for a broad spectrum of tissues and cell types (PubMed:<a href="http://www.uniprot.org/citations/20624990" target="\_blank">20624990</a>). Activating ligand for the receptor tyrosine kinase MET by binding to it and promoting its dimerization (PubMed:<a href="http://www.uniprot.org/citations/15167892" target="\_blank">15167892</a>, PubMed:<a href="http://www.uniprot.org/citations/20977675" target="\_blank">20977675</a>). Activating Activates MAPK signaling following TMPRSS13 cleavage and activation (PubMed:<a href="http://www.uniprot.org/citations/20977675" target="\_blank">20977675</a>).




# Anti-HGF / SF Reference Antibody (rilotumumab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-HGF / SF Reference Antibody (rilotumumab) - Images




Anti-HGF / SF Reference Antibody (rilotumumab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-HGF / SF Reference Antibody (rilotumumab)is more than 100% ,determined by SEC-HPLC.





Immobilized human HGF His at 2  $\mu g/mL$  can bind Anti-HGF / SF Reference Antibody (rilotumumab)[]EC50=0.02507  $\mu g/mL$