

Anti-NCAM1 / CD56 Reference Antibody (lorvotuzumab mertansine)

Recombinant Antibody Catalog # APR10504

Specification

Anti-NCAM1 / CD56 Reference Antibody (lorvotuzumab mertansine) - Product Information

Application FC, E, FTA
Primary Accession P13591
Reactivity Human
Clonality Monoclonal
Isotype IgG1
Calculated MW 145 KDa

Anti-NCAM1 / CD56 Reference Antibody (lorvotuzumab mertansine) - Additional Information

Target/Specificity NCAM1 / CD56

Endotoxin

< 0.001EU/ µg,determined by LAL method.

Conjugation

DM1

Expression system

CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

Anti-NCAM1 / CD56 Reference Antibody (lorvotuzumab mertansine) - Protein Information

Name NCAM1 (HGNC:7656)

Synonyms NCAM

Function

This protein is a cell adhesion molecule involved in neuron- neuron adhesion, neurite fasciculation, outgrowth of neurites, etc. (Microbial infection) Acts as a receptor for Zika virus.

Cellular Location

[Isoform 1]: Cell membrane; Single-pass type I membrane protein [Isoform 3]: Cell membrane; Lipid-anchor, GPI- anchor [Isoform 5]: Secreted.




Anti-NCAM1 / CD56 Reference Antibody (Iorvotuzumab mertansine) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-NCAM1 / CD56 Reference Antibody (Iorvotuzumab mertansine) - Images



Anti-NCAM1 / CD56 Reference Antibody (lorvotuzumab mertansine) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-NCAM1 / CD56 Reference Antibody (lorvotuzumab mertansine)is more than 95% ,determined by SEC-HPLC.