

**Anti-CCR5 / CD195 Reference Antibody (Ieronlimab)
Recombinant Antibody
Catalog # APR10518****Specification**

Anti-CCR5 / CD195 Reference Antibody (Ieronlimab) - Product Information

| | |
|-------------------|------------------------|
| Application | FC, E, FTA |
| Primary Accession | P51681 |
| Reactivity | Human |
| Clonality | Monoclonal |
| Isotype | IgG4 |
| Calculated MW | 150 KDa |

Anti-CCR5 / CD195 Reference Antibody (Ieronlimab) - Additional Information**Target/Specificity**
CCR5 / CD195**Endotoxin**
< 0.001EU/ µg, determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.**Anti-CCR5 / CD195 Reference Antibody (Ieronlimab) - Protein Information****Name** CCR5 ([HGNC:1606](#))**Synonyms** CMKBR5**Function**
Receptor for a number of inflammatory CC-chemokines including CCL3/MIP-1-alpha, CCL4/MIP-1-beta and RANTES and subsequently transduces a signal by increasing the intracellular calcium ion level. May play a role in the control of granulocytic lineage proliferation or differentiation. Participates in T-lymphocyte migration to the infection site by acting as a chemotactic receptor (PubMed: <http://www.uniprot.org/citations/30713770> target="_blank">30713770).**Cellular Location**
Cell membrane; Multi-pass membrane protein

Tissue Location


Highly expressed in spleen, thymus, in the myeloid cell line THP-1, in the promyeloblastic cell line KG-1a and on CD4+ and CD8+ T-cells. Medium levels in peripheral blood leukocytes and in small intestine. Low levels in ovary and lung.

Anti-CCR5 / CD195 Reference Antibody (Ieronlimab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Anti-CCR5 / CD195 Reference Antibody (Ieronlimab) - Images



Anti-CCR5 / CD195 Reference Antibody (Ieronlimab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-CCR5 / CD195 Reference Antibody (Ieronlimab) is more than 95% ,determined by SEC-HPLC.



Human CCR5 His EGFP HEK293 cells were stained with Anti-CCR5 / CD195 Reference Antibody (Ierolimab) and negative control protein respectively, washed and then followed by PE and analyzed with FACS, EC50=0.3073 µg/mL