

**Anti-NT5E / CD73 Reference Antibody (mupadolimab)
Recombinant Antibody
Catalog # APR10702****Specification**

Anti-NT5E / CD73 Reference Antibody (mupadolimab) - Product Information

Application	FC, E, FTA
Primary Accession	P21589
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	146.92 KDa

Anti-NT5E / CD73 Reference Antibody (mupadolimab) - Additional Information**Target/Specificity**
NT5E / CD73**Endotoxin**
< 0.001EU/ µg,determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Anti-NT5E / CD73 Reference Antibody (mupadolimab) - Protein Information****Name** NT5E**Synonyms** NT5, NTE**Function**
Catalyzes the hydrolysis of nucleotide monophosphates, releasing inorganic phosphate and the corresponding nucleoside, with AMP being the preferred substrate (PubMed:21933152, PubMed:22997138, PubMed:23142347, PubMed:24887587, PubMed:34403084). Shows a preference for ribonucleotide monophosphates over their equivalent deoxyribose forms (PubMed:34403084). Other substrates include IMP, UMP, GMP, CMP, dAMP, dCMP, dTMP, NAD and NMN (PubMed:21933152, PubMed:22997138, PubMed:23142347, PubMed:24887587, PubMed:34403084).

Cellular Location


Cell membrane; Lipid-anchor, GPI-anchor

Anti-NT5E / CD73 Reference Antibody (mupadolimab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-NT5E / CD73 Reference Antibody (mupadolimab) - Images



Anti-NT5E / CD73 Reference Antibody (mupadolimab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95.7%



The purity of Anti-NT5E / CD73 Reference Antibody (mupadolimab) is more than 99.58%, determined by SEC-HPLC.