

**Anti-CCR7 / CD197 Reference Antibody (R707)**  
**Recombinant Antibody**  
**Catalog # APR10798**

**Specification**

---

**Anti-CCR7 / CD197 Reference Antibody (R707) - Product Information**

Application	FC, E, FTA
Primary Accession	<a href="#">P32248</a>
Reactivity	Human, Mouse
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	145.36 KDa

**Anti-CCR7 / CD197 Reference Antibody (R707) - Additional Information**

**Target/Specificity**  
CCR7 / CD197

**Endotoxin**  
< 0.001EU/ µg,determined by LAL method.

**Conjugation**  
Unconjugated

**Expression system**  
CHO Cell

**Format**  
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.

**Anti-CCR7 / CD197 Reference Antibody (R707) - Protein Information**

**Name** CCR7

**Synonyms** CMKBR7, EBI1, EVI1

**Function**  
Receptor for the MIP-3-beta chemokine. Probable mediator of EBV effects on B-lymphocytes or of normal lymphocyte functions.

**Cellular Location**  
Cell membrane; Multi-pass membrane protein.


**Tissue Location**  
Expressed in various lymphoid tissues and activated B- and T-lymphocytes, strongly up-regulated in B-cells infected with Epstein-Barr virus and T-cells infected with herpesvirus 6 or 7

## Anti-CCR7 / CD197 Reference Antibody (R707) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

## Anti-CCR7 / CD197 Reference Antibody (R707) - Images



Anti-CCR7 / CD197 Reference Antibody (R707) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-CCR7 / CD197 Reference Antibody (R707) is more than 99.08% ,determined by SEC-HPLC.