

**ZFP219 Antibody**  
Catalog # ASC11298**Specification****ZFP219 Antibody - Product Information**

Application	WB, IHC, IF
Primary Accession	<a href="#">O9P2Y4</a>
Other Accession	<a href="#">NP_001095142</a> , <a href="#">156415996</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application Notes	ZFP219 antibody can be used for detection of ZFP219 by Western blot at 1 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 5 µg/mL. For immunofluorescence start at 20 µg/mL.

**ZFP219 Antibody - Additional Information**

Gene ID 51222

**Target/Specificity**

ZNF219; At least two isoforms of ZFP219 are known to exist; this antibody will recognize both.

**Reconstitution & Storage**

ZFP219 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

**Precautions**

ZFP219 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

**ZFP219 Antibody - Protein Information**

Name ZNF219

**Function**

Transcriptional regulator (PubMed: [14621294](http://www.uniprot.org/citations/14621294), PubMed: [19549071](http://www.uniprot.org/citations/19549071)). Recognizes and binds 2 copies of the core DNA sequence motif 5'-GGGGG- 3' (PubMed: [14621294](http://www.uniprot.org/citations/14621294)). Binds to the HMGN1 promoter and may repress HMGN1 expression (PubMed: [14621294](http://www.uniprot.org/citations/14621294)). Regulates SNCA expression in primary cortical neurons (PubMed: [19549071](http://www.uniprot.org/citations/19549071)). Binds to the COL2A1 promoter and activates COL2A1 expression, as part of a complex with SOX9 (By similarity). Plays a role in chondrocyte differentiation (By similarity).

**Cellular Location**

Nucleus


**Tissue Location**

Ubiquitous..


**ZFP219 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**ZFP219 Antibody - Images**

Western blot analysis of ZFP219 in mouse brain tissue lysate with ZFP219 antibody at (A) 1 and (B) 2  $\mu\text{g/mL}$ .



Immunohistochemistry of ZFP219 in mouse brain tissue with ZFP219 antibody at 5 µg/mL.



Immunofluorescence of ZFP219 in mouse brain tissue with ZFP219 antibody at 20 µg/mL.

### **ZFP219 Antibody - Background**

**ZFP219 Antibody:** ZFP219 is a developmentally regulated member of the Kruppel-like zinc finger gene family that is thought to function as a transcriptional repressor. Yeast two-hybrid screening showed association with Sox9, a transcription factor that is essential for chondrogenesis. ZFP219 is specifically expressed in the developing limb buds and colocalizes with Sox9 in the nucleus. Knockdown of ZFP219 expression decreased Sox9-induced mRNA expression, and a dominant-negative mutant of ZFP219 inhibited Bmp2-induced chondrocyte differentiation, suggesting that ZFP219 plays an important role as a transcriptional partner of Sox9 in the regulation of chondrocyte differentiation.

### **ZFP219 Antibody - References**

Sakai T, Toyoda A, Hashimoto K, et al. Isolation and characterization of a novel zinc finger gene, ZNF219, and mapping to the human chromosome 14q11 region. *DNA Res.* 2000; 7:137-41.  
Sakai T, Hino K, Wada S, et al. Identification of the DNA binding specificity of the human ZNF219 protein and its function as a transcriptional repressor. *DNA Res.* 2003; 10:155-65.  
Takigawa Y, Hata K, Muramatsu S, et al. The transcription factor Znf219 regulates chondrocyte differentiation by assembling a transcription factory with Sox9. *J. Cell Sci.* 2010; 123:3780-8.