

CD81 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant CD81.

Catalog # AT1446a

Specification

CD81 Antibody (monoclonal) (M01) - Product Information

Application	E
Primary Accession	P60033
Other Accession	BC002978
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	25809

CD81 Antibody (monoclonal) (M01) - Additional Information

Gene ID 975

Other Names

CD81 antigen, 26 kDa cell surface protein TAPA-1, Target of the antiproliferative antibody 1, Tetraspanin-28, Tspan-28, CD81, CD81, TAPA1, TSPAN28

Target/Specificity

CD81 (AAH02978, 25 a.a. ~ 127 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

CD81 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


CD81 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

- [Flow Cytometry](#)
- [Cell Culture](#)

CD81 Antibody (monoclonal) (M01) - Images



Detection limit for recombinant GST tagged CD81 is approximately 0.1ng/ml as a capture antibody.

CD81 Antibody (monoclonal) (M01) - Background

The protein encoded by this gene is a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. This encoded protein is a cell surface glycoprotein that is known to complex with integrins. This protein appears to promote muscle cell fusion and support myotube maintenance. Also it may be involved in signal transduction. This gene is localized in the tumor-suppressor gene region and thus it is a candidate gene for malignancies.

CD81 Antibody (monoclonal) (M01) - References

Dengue hemorrhagic fever is associated with polymorphisms in JAK1. Silva LK, et al. *Eur J Hum Genet*, 2010 Jun 30. PMID 20588308. Claudin association with CD81 defines hepatitis C virus entry. Harris HJ, et al. *J Biol Chem*, 2010 Jul 2. PMID 20375010. Large-scale candidate gene analysis of spontaneous clearance of hepatitis C virus. Mosbrugger TL, et al. *J Infect Dis*, 2010 May 1. PMID 20331378. New genetic associations detected in a host response study to hepatitis B vaccine. Davila S, et al. *Genes Immun*, 2010 Apr. PMID 20237496. CD81 gene defect in humans disrupts CD19 complex formation and leads to antibody deficiency. van Zelm MC, et al. *J Clin Invest*, 2010 Apr 1. PMID 20237408.