

## **PITX1 Antibody (monoclonal) (M02)**

Mouse monoclonal antibody raised against a partial recombinant PITX1.

Catalog # AT3320a

### **Specification**

---

#### **PITX1 Antibody (monoclonal) (M02) - Product Information**

Application	WB, E
Primary Accession	<a href="#">P78337</a>
Other Accession	<a href="#">NM_002653</a>
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	34128

#### **PITX1 Antibody (monoclonal) (M02) - Additional Information**

**Gene ID** 5307

##### **Other Names**

Pituitary homeobox 1, Hindlimb-expressed homeobox protein backfoot, Homeobox protein PITX1, Paired-like homeodomain transcription factor 1, PITX1, BFT, PTX1

##### **Target/Specificity**

PITX1 (NP\_002644, 225 a.a. ~ 313 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

##### **Dilution**

WB~~1:500~1000

##### **Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

##### **Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

##### **Precautions**

PITX1 Antibody (monoclonal) (M02) is for research use only and not for use in diagnostic or therapeutic procedures.


#### **PITX1 Antibody (monoclonal) (M02) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


**PITX1 Antibody (monoclonal) (M02) - Images**



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (35.53 KDa) .



PITX1 monoclonal antibody (M02), clone 6D4 Western Blot analysis of PITX1 expression in A-431 ( Cat # AT3320a )



Detection limit for recombinant GST tagged PITX1 is approximately 0.03ng/ml as a capture antibody.

**PITX1 Antibody (monoclonal) (M02) - Background**

This gene encodes a member of the RIEG/PITX homeobox family, which is in the bicoid class of homeodomain proteins. Members of this family are involved in organ development and left-right asymmetry. This protein acts as a transcriptional regulator involved in basal and hormone-regulated activity of prolactin.

#### **PITX1 Antibody (monoclonal) (M02) - References**

1. The c-Abl tyrosine kinase stabilizes Pitx1 in the apoptotic response to DNA damage. Yamaguchi T, Miki Y, Yoshida K. *Apoptosis*. 2010 Aug;15(8):927-35.