

RPS2 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant RPS2.

Catalog # AT3714a

Specification

RPS2 Antibody (monoclonal) (M01) - Product Information

Application	IF, WB, IHC, E
Primary Accession	P15880
Other Accession	NM_002952
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	31324

RPS2 Antibody (monoclonal) (M01) - Additional Information

Gene ID 6187

Other Names

40S ribosomal protein S2, 40S ribosomal protein S4, Protein LLRep3, RPS2, RPS4

Target/Specificity

RPS2 (NP_002943, 198 a.a. ~ 293 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

RPS2 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


RPS2 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


RPS2 Antibody (monoclonal) (M01) - Images




Immunofluorescence of monoclonal antibody to RPS2 on HeLa cell . [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.3 KDa) .



RPS2 monoclonal antibody (M01), clone 3G6. Western Blot analysis of RPS2 expression in human liver.



Immunoperoxidase of monoclonal antibody to RPS2 on formalin-fixed paraffin-embedded human esophagus. [antibody concentration 1.2 ug/ml]



Detection limit for recombinant GST tagged RPS2 is approximately 0.03ng/ml as a capture antibody.

RPS2 Antibody (monoclonal) (M01) - Background

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S5P family of ribosomal proteins. It is located in the cytoplasm. This gene shares sequence similarity with mouse LLRep3. It is co-transcribed with the small nucleolar RNA gene U64, which is located in its third intron. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.

RPS2 Antibody (monoclonal) (M01) - References

1. PRMT3 is essential for dendritic spine maturation in rat hippocampal neurons. Miyata S, Mori Y, Tohyama M. Brain Res. 2010 Sep 17;1352C:11-20. Epub 2010 Jul 18.