

## **SNX1 Antibody (monoclonal) (M01)**

Mouse monoclonal antibody raised against a partial recombinant SNX1.

Catalog # AT3984a

### **Specification**

---

#### **SNX1 Antibody (monoclonal) (M01) - Product Information**

Application	WB, IHC, E
Primary Accession	<a href="#">Q13596</a>
Other Accession	<a href="#">NM_003099</a>
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	59070

#### **SNX1 Antibody (monoclonal) (M01) - Additional Information**

**Gene ID** 6642

##### **Other Names**

Sorting nexin-1, SNX1

##### **Target/Specificity**

SNX1 (NP\_003090, 166 a.a. ~ 275 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

##### **Dilution**

WB~~1:500~1000

##### **Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

##### **Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

##### **Precautions**

SNX1 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


#### **SNX1 Antibody (monoclonal) (M01) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


### SNX1 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.84 KDa) .




SNX1 monoclonal antibody (M01), clone 6H1 Western Blot analysis of SNX1 expression in HeLa (Cat # AT3984a )




Western Blot analysis of SNX1 expression in transfected 293T cell line by SNX1 monoclonal antibody (M01), clone 6H1.


Lane 1: SNX1 transfected lysate(59.1 KDa).  
 Lane 2: Non-transfected lysate.



Western blot analysis of SNX1 over-expressed 293 cell line, cotransfected with SNX1 Validated Chimera RNAi (Cat # AT3984a)



Immunoperoxidase of monoclonal antibody to SNX1 on formalin-fixed paraffin-embedded human tonsil. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged SNX1 is approximately 0.03ng/ml as a capture antibody.

### SNX1 Antibody (monoclonal) (M01) - Background

This gene encodes a member of the sorting nexin family. Members of this family contain a phox (PX) domain, which is a phosphoinositide binding domain, and are involved in intracellular trafficking. This endosomal protein regulates the cell-surface expression of epidermal growth factor receptor. This protein also has a role in sorting protease-activated receptor-1 from early endosomes to lysosomes. This protein may form oligomeric complexes with family members. This gene results in three transcript variants encoding distinct isoforms.

### **SNX1 Antibody (monoclonal) (M01) - References**

Regulation of P2Y1 receptor traffic by sorting Nexin 1 is retromer independent. Nisar S, et al. Traffic, 2010 Apr. PMID 20070609. SNX1 defines an early endosomal recycling exit for sortilin and mannose 6-phosphate receptors. Mari M, et al. Traffic, 2008 Mar. PMID 18088323. EGF induces macropinocytosis and SNX1-modulated recycling of E-cadherin. Bryant DM, et al. J Cell Sci, 2007 May 15. PMID 17502486. Sorting nexin 1 down-regulation promotes colon tumorigenesis. Nguyen LN, et al. Clin Cancer Res, 2006 Dec 1. PMID 17145813. Interchangeable but essential functions of SNX1 and SNX2 in the association of retromer with endosomes and the trafficking of mannose 6-phosphate receptors. Rojas R, et al. Mol Cell Biol, 2007 Feb. PMID 17101778.