

BCAR1 Antibody (C-term) Blocking peptide Synthetic peptide Catalog # BP10123b

## Specification

# BCAR1 Antibody (C-term) Blocking peptide - Product Information

Primary Accession Other Accession <u>P56945</u> <u>NP\_001164191.1</u>, <u>NP\_001164187.1</u>, <u>NP\_001164186.1</u>, <u>NP\_001164192.1</u>, <u>NP\_001164185.1</u>, <u>NP\_001164188</u>

## BCAR1 Antibody (C-term) Blocking peptide - Additional Information

Gene ID 9564

**Other Names** 

Breast cancer anti-estrogen resistance protein 1, CRK-associated substrate, Cas scaffolding protein family member 1, p130cas, BCAR1, CAS, CASS1, CRKAS

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage** Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## BCAR1 Antibody (C-term) Blocking peptide - Protein Information

Name BCAR1

Synonyms CAS, CASS1, CRKAS

#### Function

Docking protein which plays a central coordinating role for tyrosine kinase-based signaling related to cell adhesion (PubMed:<a href="http://www.uniprot.org/citations/12432078" target="\_blank">12432078</a>, PubMed:<a href="http://www.uniprot.org/citations/12832404" target="\_blank">12832404</a>). Implicated in induction of cell migration and cell branching (PubMed:<a href="http://www.uniprot.org/citations/12432078" target="\_blank">12432078</a>, PubMed:<a href="http://www.uniprot.org/citations/12832404" target="\_blank">12832404</a>, PubMed:<a href="http://www.uniprot.org/citations/12832404" target="\_blank">12832404</a>, PubMed:<a href="http://www.uniprot.org/citations/12832404" target="\_blank">12832404</a>, PubMed:<a href="http://www.uniprot.org/citations/17038317" target="\_blank">17038317</a>). Involved in the BCAR3-mediated inhibition of TGFB signaling (By similarity).

#### **Cellular Location**

Cell junction, focal adhesion. Cytoplasm Cell projection, axon {ECO:0000250|UniProtKB:Q61140} Note=Unphosphorylated form localizes in the cytoplasm (By similarity) Localizes to focal adhesion



sites following integrin engagement (By similarity). {ECO:0000250|UniProtKB:Q61140}

Tissue Location

Expressed in B-cells (at protein level) (PubMed:9020138). Widely expressed with an abundant expression in the testis (PubMed:10639512). Low level of expression seen in the liver, thymus, and peripheral blood leukocytes (PubMed:10639512)

## **BCAR1 Antibody (C-term) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

<u>Blocking Peptides</u>

## BCAR1 Antibody (C-term) Blocking peptide - Images

## BCAR1 Antibody (C-term) Blocking peptide - Background

BCAR1, or CAS, is an Src (MIM 190090) family kinasesubstrate involved in various cellular events, including migration, survival, transformation, and invasion (Sawada et al., 2006 [PubMed17129785]).

## BCAR1 Antibody (C-term) Blocking peptide - References

Tai, C.J., et al. Exp. Cell Res. 316(17):2969-2981(2010)Dastani, Z., et al. Eur. J. Hum. Genet. 18(3):342-347(2010)Schuh, N.R., et al. J. Biol. Chem. 285(4):2309-2317(2010)Wendt, M.K., et al. J. Biol. Chem. 284(49):34145-34156(2009)Qian, X., et al. Cancer Cell 16(3):246-258(2009)